



THE UNIVERSITY OF ALABAMA IN HUNTSVILLE
 PROCUREMENT SERVICES
 301 SPARKMAN DRIVE
 HUNTSVILLE, ALABAMA 35899
 PHONE (256) 824-6484

DATE
 09/19/2013

BID NUMBER
B002244

ALL BIDS WILL BE PUBLICLY OPENED ON THE OPENING DATE DESIGNATED AT THE UNIVERSITY OF ALABAMA IN HUNTSVILLE, PROCUREMENT SERVICES, BUSINESS SERVICES BLDG., HUNTSVILLE, ALABAMA 35899. BIDS RECEIVED AFTER THE SPECIFIED TIME ON THE OPENING DATE WILL NOT BE CONSIDERED.

RESPONSE DUE BY:
 10/03/2013
 1:30 PM

WHEN USING FEDEX, UPS, OR ANY EXPRESS PACKAGING/SHIPPING, THE BID NUMBER MUST BE CLEARLY PRINTED ON THE AIR BILL.

REQUEST FOR FORMAL BID

CONTACT: PAMELA HURLEY PHONE: 256-824-6675 EMAIL: pkh0002@uah.edu

VENDOR NO.

V
E
N
D
O
R

ALL BIDS MUST BE SIGNED, SEALED, AND RETURNED IN AN ENVELOPE WITH THE BID NUMBER AND OPENING DATE NOTED ON FRONT. FORWARD ALL BIDS TO THE ADDRESS INDICATED ABOVE. FAILURE TO COMPLY WILL RESULT IN A "NO BID" RESPONSE IN ACCORDANCE WITH ALABAMA COMPETITIVE BID LAW 41-16-24 sub-part b.

THE ABOVE BID NUMBER MUST APPEAR ON ALL BIDS AND RELATED CORRESPONDENCE

OR EQUAL, REFER TO GENERAL CONDITIONS ON ATTACHED SHEET

NO	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	EXTENSION
			<p>THE UNIVERSITY OF ALABAMA IN HUNTSVILLE REQUESTS BIDS FOR FITNESS EQUIPMENT PER THE ATTACHED SPECIFICATIONS.</p> <p>AWARD: NO AWARD INFORMATION WILL BE MADE AVAILABLE BY TELEPHONE, FAX, MAIL, OR EMAIL. ONCE THE BID IS AWARDED, THE AWARD INFORMATION AND TABULATION WILL BE POSTED TO OUR WEBSITE: HTTP://WWW.UAH.EDU/BUSINESS-SERVICES/VENDORS/BID-OPPORTUNITIES</p>		

TOTAL →

SHOULD A PURCHASE ORDER BE ISSUED, THE FOREGOING AND THE TERMS AND CONDITIONS ON THE ATTACHED SHEET SHALL BE APPLICABLE AND BINDING UPON THE VENDOR. I ACKNOWLEDGE THAT I HAVE SIGNATURE AUTHORITY TO SIGN ON BEHALF OF THE COMPANY AND HEREBY AGREE TO ALL GENERAL CONDITIONS OF THIS BID REQUEST.

SIGNATURE _____
 COMPANY REPRESENTATIVE

DATE _____
 An Affirmative Action/Equal Opportunity Institution

PAGE 1

BID SPECIFICATIONS FOR UAHUNTSVILLE FITNESS CENTER EXERCISE EQUIPMENT

INSTRUCTIONS TO BIDDERS FOR UAHUNTSVILLE BID (B002244)

1. **BIDDERS ARE INSTRUCTED TO READ THE DOCUMENT COMPLETELY BEFORE PROVIDING A RESPONSE.**
2. THE UNIVERSITY OF ALABAMA HUNTSVILLE IS REQUESTING SEALED BIDS FOR EXERCISE EQUIPMENT ON BEHALF OF THE UNIVERSITY OF ALABAMA HUNTSVILLE TO EQUIP THE UAHUNTSVILLE FITNESS CENTER.
3. UNIVERSITY OF ALABAMA HUNTSVILLE IS EXEMPT FROM ALL STATE SALES AND USE TAXES AND NO PROVISION FOR SUCH TAXES SHOULD BE INCLUDED IN THE BID RESPONSE.
4. DELIVERY DOES NOT CONSTITUTE ACCEPTANCE. ALL PRODUCTS DELIVERED TO THE UNIVERSITY, AS A RESULT OF AN AWARD OF THIS CONTRACT, ARE SUBJECT TO INSPECTION AND TESTING. ITEMS THAT DO NOT MEET SPECIFICATIONS WILL BE REJECTED AND RETURNED TO THE VENDOR AT THE VENDOR'S EXPENSE. FAILURE TO REJECT UPON RECEIPT, HOWEVER, DOES NOT RELIEVE THE VENDOR OF THIS LIABILITY.
5. BID PRICE QUOTATIONS ARE TO INCLUDE **ALL SHIPPING CHARGES, FOB: DESTINATION.**
6. BID PRICE QUOTATIONS ARE TO INCLUDE **ALL CHARGES FOR SETUP/ASSEMBLY/INSTALLATION** AT THE UAHUNTSVILLE FITNESS CENTER.
7. DELIVERY AND INSTALLATION DATES WILL BE A DETERMINING FACTOR FOR BID AWARDS. SEE SPECIFICATIONS FOR REQUIRED DELIVERY/INSTALLATION DATES.
8. ALL BID ITEMS MUST BE NEW.
9. ALL ITEMS MUST INCLUDE OPERATION MANUAL IN PDF FORM.
10. ALL ITEMS MUST INCLUDE MAINTENANCE MANUAL IN PDF FORM.
11. ANY TOOLS AND EQUIPMENT NECESSARY FOR DELIVERY, SETUP / ASSEMBLY / INSTALLATION OF PURCHASED ITEMS, AND REMOVAL OF TRADE-INS ARE THE RESPONSIBILITY OF THE SUCCESSFUL VENDOR/INSTALLER.
12. ANY EXCEPTION TAKEN TO ANY PORTION OF THIS REQUEST FOR FORMAL BID MUST BE SO STATED ON THE BID RESPONSE SHEETS OR THE UNIVERSITY OF ALABAMA HUNTSVILLE WILL ASSUME COMPLIANCE WITH ALL REQUIREMENTS AS STATED. THE SUCCESSFUL BIDDER WILL BE RESPONSIBLE AND ACCOUNTABLE FOR PROVIDING THOSE ITEMS AS SPECIFIED IN ITS BID RESPONSE. FAILURE TO DO SO WILL RESULT IN THE CANCELLATION OF THE PURCHASE CONTRACT.
13. IF A SUBSTITUTION IS BIDDED FOR ANY ITEM, OR ANY DIFFERENCES FROM REQUESTED SPECIFICATIONS, IT MUST BE INDICATED IN WRITING.

14. FOR ANY QUESTIONS REGARDING THIS REQUEST FOR FORMAL BID, CONTACT PAMELA HURLEY VIA EMAIL AT pkh0002@uah.edu. **PLEASE NOTE THAT ALL QUESTIONS MUST BE SUBMITTED IN WRITING BEFORE THE RESPONSE DEADLINE ON OCTOBER 3, 2013.**

15. BIDDERS ARE TO PROVIDE AN ALL INCLUSIVE PACKAGE PRICE FOR THE FOLLOWING:

LINE ITEM 1 (1A – 1AU) NEW EQUIPMENT
LINE ITEM 1 (1AV – 1EA) **TRADE-INS**

ANY BIDS FOR ITEM 1 (1A-1EA) MUST BE ALL INCLUSIVE AND MUST INCLUDE CREDIT FOR, AND REMOVAL OF, TRADE-IN ITEMS.

LINE ITEM 2 (2A – 2F) NEW EQUIPMENT
LINE ITEM 3 (3A – 3J) NEW EQUIPMENT
LINE ITEM 4 (4A – 4I) NEW EQUIPMENT
LINE ITEM 5 (5A – 5C) NEW EQUIPMENT
LINE ITEM 6 (6A – 6D) NEW EQUIPMENT
LINE ITEM 7 (7A – 7D) NEW EQUIPMENT
LINE ITEM 8 (8A – 8C) NEW EQUIPMENT

LINE ITEM 9, 10, 11, 12, 13A, 13B, 14, 15A, 15B, 16 AND 17 REQUIRE UNIT PRICING FOR NEW EQUIPMENT.

1C	<p>EAGLE INCLINE PULL (#11020)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: RECTANGULAR TUBE STEEL MACHINE WEIGHT W/STACK: 644 LBS. DIMENSIONS: 54" L X 85" W X 78" H CYBEX DAUL AXIS FEATURE® INDEPENDENT ARM MOVEMENT DIVERGING MOTION PATH 305 LB SELECTORIZED WEIGHT STACK DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS WARRANTY: 10 YEARS FRAME, 2 YEARS PARTS, 1 YEAR LABOR, 120 DAYS GRIPS & UPHOLSTERY</p>	EACH	1
1D	<p>UTILITY BENCH (#16030)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: FLATTENED ROUND TUBE STEEL FOOTREST 85° BACK PAD ANGLE WEIGHT: 50 LBS. DIMENSIONS (L X W X H): 43" X 24" X 38" WARRANTY: 10 YEARS FRAME, 2 YEARS PARTS, 1 YEAR LABOR, 120 DAYS GRIPS & UPHOLSTERY</p>	EACH	2
1E	<p>VR3 ROTARY TORSO (#12190)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: FLATTENED ROUND TUBE STEEL 6 STARTING POSITIONS IN 10° INCREMENTS SEATED USER POSITION LOWER BODY PIVOTING 205LB SELECTORIZED WEIGHT STACK MACHINE WEIGHT: 640 LBS. DIMENSIONS: 47" L X 46" W X 64" H WARRANTY: 10 YEARS FRAME, 2 YEARS PARTS, 1 YEAR LABOR, 120 DAYS GRIPS & UPHOLSTERY</p>	EACH	1

BRAND: HOIST (1F - 1AI)			
1F	<p>CMJ-6000-1 4 STATION-SINGLE POD MULTI-GYM</p> <p>ONE-HANDED HI-LO STATION ADJUSTERS ANGLED SEAT AND LOW STEP HEIGHT FOR EASY ENTRY AND EXIT ON LOW ROW STATION (1) CMJ-6101 TRICEPS EXTENSION (170 LBS. WEIGHT STACK) (1) CMJ-6175 HI-LO PULLEY (195 LBS. WEIGHT STACK) (1) CMJ-6201 LAT PULLDOWN (295 LBS. WEIGHT STACK) (1) CMJ-6203 LOW ROW (295 LBS. WEIGHT STACK) (1) CMJ-CAGE BASE CAGE PRODUCT DIMENSIONS L X W X H: 76.25" X 142.50" X 93.00" PRODUCT WEIGHT: 1,571 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1G	<p>CMD-6180 CABLE CROSSOVER</p> <p>ONE-HANDED HI-LO STATION ADJUSTER PULLUP STATION ON BOOM WITH ANGLED, NEUTRAL, ROCK CLIMBING AND EXTRA WIDE STRAIGHT GRIP OPTIONS STABILIZING HAND GRIPS ON BOTH SIDES OF PULLEY ANKLE STRAP AND STRAP HANDLES INCLUDED MACHINE WEIGHT: 839 LBS (381 KG) (2) CMS-6175 ADJUSTABLE HI-LO PULLEYS (195 LBS. PER WEIGHT STACK) (1) CMJ-OPT-01 CROSS OVER PULL UP STATION -INCLUDES ROCK-GRIPS PRODUCT DIMENSIONS L X W X H 153.25" X 39.50" X 92.50" (398 CM X 100 CM X 235 CM) CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1H	<p>CHIN – DIP ASSIST (#RS-1700)</p> <p>SILVER/PLATINUM COLOR POWDER COATED ROUND TUBE FRAME FLIP `N GRIP™ HANDLES THAT ALLOW USERS TO PERFORM NEUTRAL GRIP PULL-UPS AND NARROW GRIP CHIN-UPS ROCK-CLIMBING HANDLES FOOT PLATE ADJUSTS TO ACCOMMODATE ASSISTED AND UNASSISTED EXERCISE POSITIONS PRODUCT DIMENSIONS L X W X H: 66.5" X 48" X 100" PRODUCT WEIGHT: 857 LBS SELECTORIZED WEIGHT STACK: 380 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1I	<p>LAT PULLDOWN (#RS-1201)</p> <p>SELF-ALIGNING HANDLES MULTIPLE GRIP POSITIONS STARTS THE BODY IN A SLIGHT FORWARD LEAN PULL MOVEMENT LIFTS THE SEAT WHILE ROCKING THE BODY REARWARD MIMICKING A NATURAL PULL UP MOVEMENT AVOIDS UNSAFE LOWER BACK HYPEREXTENSION COUNTER-BALANCED EXERCISE ARM ADJUSTABLE THIGH HOLD-DOWN PAD 345LB SELECTORIZED WEIGHT STACK MUST HAVE HANDLE SET FROM RPL-5201 ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 65.50" X 59.00" X 86.00" PRODUCT WEIGHT: 728 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1J	<p>ROC-IT ABDOMINAL (#RS-1601)</p> <p>SEAT PAD CAN BE LOCKED IN PLACE OR UNLOCKED FOR PIVOTING MOVEMENT PIVOTING SEAT PAD PROVIDES MULTIPLE ABDOMINAL EXERCISES STARTS THE BODY IN AN UPRIGHT POSTURE WITH THE EXERCISE HANDLES OVERHEAD TO PRE-STRETCH THE ABDOMINAL MUSCLES ROCKING MOVEMENT LOWERS THE HIPS TO INCREASE THE INVOLVEMENT OF THE ABDOMINAL MUSCLES TO PRODUCE TRUNK FLEXION DESIGNED TO OFFER CONSTANT LUMBAR, THORACIC AND CERVICAL SUPPORT TO AVOID HYPEREXTENSION OR UNNATURAL LOADING OF THE SPINE AVOIDS THE EXCESSIVE HIP FLEXION ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 41.00" X 63.50" X 61.75" PRODUCT WEIGHT: 553 LBS. (251 KG) SELECTORIZED WEIGHT STACK: 235 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1K	<p>ROC-IT BICEPS CURL (#RPL-5102)</p> <p>EXERCISE ARMS MOVE INDEPENDENTLY SELF-ALIGNING EXERCISE ARMS AUTOMATICALLY ADJUSTS TO THE USER CONTOURED HANDLES PROVIDE MULTIPLE GRIP POSITIONS ROCKING MOVEMENT LABELED PIVOT ALIGNMENT POINTS RATCHETING SEAT ADJUSTMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 60.00" X 53.75" X 47.00" PRODUCT WEIGHT: 362 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1L	<p>ROC-IT UPRIGHT CHEST PRESS (#RPL-5301)</p> <p>CONTOURED PRESS ARM HANDLES PROVIDE MULTIPLE GRIP POSITIONS STARTS WITH THE EXERCISE HANDLES POSITIONED AT CHEST LEVEL, THEN ROCKS REARWARD TO ALIGN THE HANDLES WITH THE CHIN MIMICKS THE NATURAL ANGULAR OR ARCHED MOVEMENT OF A BENCH PRESS DESIGNED TO REDUCE THE STRESSES PLACED UPON THE ANTERIOR SHOULDER CAPSULE ASSOCIATED WITH HORIZONTAL EXTENSION AND INTERNAL ROTATION OF THE ARM SYNCHRONIZED CONVERGING EXERCISE MOTION REPLICATES DUMBBELL PRESSES COUNTER-BALANCED EXERCISE ARM RATCHETING SEAT ADJUSTMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 82.50" X 52.75" X 72.00" PRODUCT WEIGHT: 441 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
----	---	------	---

1M	<p>ROC-IT CHEST PRESS (#RS-1301)</p> <p>CONTOURED PRESS ARM HANDLES PROVIDE MULTIPLE GRIP POSITIONS FOOT ASSIST BAR FACILITATES OPTIMAL POSITIONING OF PRESS ARM HANDLES TO CONTROL THE DEGREE OF EXERCISE PRE- STRETCH</p> <p>STARTS WITH THE EXERCISE HANDLES POSITIONED AT CHEST LEVEL, THEN ROCKS REARWARD TO ALIGN THE HANDLES WITH THE CHIN MIMICKING THE NATURAL ANGULAR OR ARCHED MOVEMENT OF A BENCH PRESS</p> <p>DESIGNED TO REDUCE THE STRESSES PLACED UPON THE ANTERIOR SHOULDER CAPSULE ASSOCIATED WITH HORIZONTAL EXTENSION AND INTERNAL ROTATION OF THE ARM</p> <p>RATCHETING SEAT ADJUSTMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 59.50" X 60.50" X 57.50" PRODUCT WEIGHT: 624 LBS. SELECTORIZED WEIGHT STACK: 338 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
----	--	------	---

1N	<p>ROC-IT DECLINE CHEST PRESS (#RPL-5305)</p> <p>CONTOURED PRESS ARM HANDLES PROVIDE MULTIPLE GRIP POSITIONS STARTS WITH THE EXERCISE HANDLES POSITIONED AT CHEST LEVEL, THEN ROCKS REARWARD TO ALIGN THE HANDLES WITH THE CHIN MIMICKING THE NATURAL ANGULAR OR ARCHED MOVEMENT OF A DECLINE BENCH PRESS</p> <p>DESIGNED TO REDUCE THE STRESSES PLACED UPON THE ANTERIOR SHOULDER CAPSULE ASSOCIATED WITH HORIZONTAL EXTENSION AND INTERNAL ROTATION OF THE ARM</p> <p>SYNCHRONIZED CONVERGING EXERCISE MOTION REPLICATES DUMBBELL PRESSES RATCHETING SEAT ADJUSTMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 73.00" X 52.75" X 56.25" PRODUCT WEIGHT: 375 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1O	<p>ROC-IT GLUTEMASTER (#RS-1412) GLUTE MACHINE</p> <p>KNEE PAD ADJUSTS WITH PIVOTING MOVEMENT FOR ACCURATE LEFT AND RIGHT EXERCISE POSITIONING ADDED FOREARM SUPPORT AND ANGLED-GRIP HANDLES ALLOW USERS TO ENGAGE CORE MUSCLES THROUGHOUT THE EXERCISE ROCKING DOWNWARD MOVEMENT OF THE UPPER TORSO DURING THE EXERCISE</p> <p>ANGLED FOREARM AND PIVOTING KNEE PADS OFFER CONSTANT UPPER AND LOWER BODY SUPPORT TO AVOID UNNATURAL LOADING OF THE SPINE</p> <p>FOOT PLATE ADJUSTS TO ACCOMMODATE VARIED LEG LENGTHS ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 52.60" X 57.50" X 54.75" PRODUCT WEIGHT: 580 LBS. (263 KG) SELECTORIZED WEIGHT STACK: 178 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1P	<p>ROC-IT INCLINE CHEST PRESS (#RPL-5303)</p> <p>CONTOURED PRESS ARM HANDLES PROVIDE MULTIPLE GRIP POSITIONS STARTS WITH THE EXERCISE HANDLES POSITIONED AT CHEST LEVEL, THEN ROCKS REARWARD TO ALIGN THE HANDLES WITH THE CHIN MIMICKING THE NATURAL ANGULAR OR ARCHED MOVEMENT OF A INCLINE BENCH PRESS</p> <p>DESIGNED TO REDUCE THE STRESSES PLACED UPON THE ANTERIOR SHOULDER CAPSULE ASSOCIATED WITH HORIZONTAL EXTENSION AND INTERNAL ROTATION OF THE ARM</p> <p>SYNCHRONIZED CONVERGING EXERCISE MOTION REPLICATES DUMBBELL PRESSES</p> <p>COUNTER-BALANCED EXERCISE ARM RATCHETING SEAT ADJUSTMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 90.25" X 52.75" X 56.25" PRODUCT WEIGHT: 428 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1Q	<p>ROC-IT INNER THIGH (#RS-1406)</p> <p>RANGE OF MOTION ADJUSTMENT ACCOMMODATES STARTING POSITION STARTS THE BODY IN A DECLINE POSITION TO ENHANCE USER COMFORT BY FACILITATING HIP ABDUCTION TO OPEN THE THIGH MUSCLES WHILE MAINTAINING PROPER ALIGNMENT OF THE SPINE</p> <p>THE FORWARD ROCKING MOVEMENT REDUCES STRESS ON THE LOW BACK BY ALLOWING THE HIPS TO NATURALLY FLEX FORWARD, WHILE SUPPORTING THE LOW BACK</p> <p>ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 68.25" X 37.50" X 56.50" PRODUCT WEIGHT: 539 LBS. SELECTORIZED WEIGHT STACK: 243 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1R	<p>ROC-IT LAT PULLDOWN (#RPL-5201)</p> <p>SELF-ALIGNING HANDLES MULTIPLE GRIP POSITIONS STARTS THE BODY IN A SLIGHT FORWARD LEAN PULL MOVEMENT LIFTS THE SEAT WHILE ROCKING THE BODY REARWARD MIMICKING A NATURAL PULL UP MOVEMENT AND AVOIDING UNSAFE LOWER BACK HYPEREXTENSION SYNCHRONIZED DIVERGING EXERCISE MOTION FOLLOWS THE NATURAL ROTATION PATTERN OF THE SHOULDER ADJUSTABLE THIGH HOLD-DOWN PAD INDEPENDENT ARM MOVEMENT ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 76.50" X 52.75" X 85.75" PRODUCT WEIGHT: 409 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1S	<p>ROC-IT LATERAL RAISE (#RS-1502)</p> <p>ROCKING FORWARD MOVEMENT OF THE TORSO DURING THE EXERCISE CHALLENGES CORE MUSCLES WHILE ENGAGING AN OPTIMAL RANGE OF DELTOID MUSCLE FLEXION SWIVELING STABILIZER HANDLES TO ACCOMMODATE VARYING USER SIZES BI-LATERAL FUNCTIONALITY ALLOWS FOR SINGLE-ARM EXERCISING SELECTORIZED WEIGHT STACK: 298 LBS. ADJUSTABLE SEAT ROX™ TECHNOLOGY LENGTH: 59" WIDTH: 47.25" HEIGHT: 56.5" CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1T	<p>ROC-IT SEATED LEG EXTENSION (#RS-1401)</p> <p>GAS SHOCK ASSISTED ADJUSTABLE BACK PAD SELF-ALIGNING ROLLER PAD STARTS THE BODY IN A UPRIGHT POSTURE, THEN ROCKS REARWARD DURING THE EXERCISE PROVIDING A GREATER RANGE-OF-MOTION AND A MORE NATURAL HINGE MOVEMENT ROCKING MOVEMENT LOWERS THE HIPS TO MAINTAIN A POSTERIOR PELVIC TILT TO BETTER LOAD THE QUADRICEPS MUSCLE DESIGNED TO REDUCE SHEAR FORCES AND STRESSES TO THE KNEE JOINTS AND LIMIT LOWER BACK MUSCLE INVOLVEMENT LABELED PIVOT ALIGNMENT POINTS ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 46.00" X 53.25" X 60.00" PRODUCT WEIGHT: 665 LBS. SELECTORIZED WEIGHT STACK: 345 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1U	<p>ROC-IT DUAL ACTION SUPINE LEG PRESS (#RPL-5403)</p> <p>ROX™ TECHNOLOGY CREATES A DUAL ACTION EXERCISE MOVEMENT THAT MOVES THE USER SUPPORT AND FOOT PLATE SIMULTANEOUSLY HEAD AND SHOULDER SUPPORT ADJUSTS TO ACCOMMODATE VARYING BODY SIZES EASY TO ACCESS LOCKOUT MECHANISM, AUTOMATICALLY DISENGAGES AT THE START OF THE EXERCISE OVERSIZED FOOT PLATE PROVIDES MULTIPLE FOOT PLACEMENTS FOR BOTH LEG PRESS AND CALF EXERCISES ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 97.00" X 50.25" X 61.50" PRODUCT WEIGHT: 539 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 1,300 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1V	<p>ROC-IT SEATED LEG PRESS (#RS-1403)</p> <p>ELEVEN LINEAR SEAT ADJUSTMENTS TO ACCOMMODATE VARYING LEG LENGTHS LARGE OVAL FOOT PLATE PROVIDES MULTIPLE FOOT PLACEMENTS FOR BOTH LEG PRESS AND CALF EXERCISES STARTS THE BODY IN THE TRADITIONAL LEG PRESS POSITION, THEN ROCKS THE UPPER TORSO REARWARD TO PROVIDE GREATER ACTIVATION OF THE GLUTEAL MUSCLES STEP THROUGH DESIGN ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 75.00" X 50.50" X 55.75" PRODUCT WEIGHT: 882 LBS. SELECTORIZED WEIGHT STACK: 384 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1W	<p>ROC-IT LOW BACK (#RS-1204)</p> <p>STARTS THE BODY IN A FORWARD LEAN WITH KNEES BENT, THEN ROCKS REARWARD TO MAINTAIN PROPER ALIGNMENT BETWEEN HIPS AND LOW BACK AT ALL TIMES WHILE REDUCING STRESS TO THE LOW BACK SWIVEL BACK PAD IS DESIGNED TO ENSURE A SAFE AND COMFORTABLE EXERCISE MOVEMENT WHILE PROVIDING OPTIMAL SUPPORT TO THE HIPS AND SPINE ADJUSTABLE FOOT RESTS TO ACCOMMODATE VARYING USER SIZES ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 67.75" X 55.50" X 54.75" PRODUCT WEIGHT: 620 LBS. SELECTORIZED WEIGHT STACK: 345 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1X	<p>ROC-IT OUTER THIGH (#RS-1407)</p> <p>RANGE OF MOTION ADJUSTMENT ACCOMMODATES STARTING POSITION STARTS THE BODY IN A FORWARD POSITION TO ENHANCE USER COMFORT BY POSITIONING THE HIPS FOR OPTIMAL EXERCISE MOVEMENT WHILE MAINTAINING PROPER ALIGNMENT OF THE SPINE THE REARWARD ROCKING MOVEMENT REDUCES STRESS ON THE LOW BACK BY ALLOWING THE HIPS TO NATURALLY TILT BACKWARDS AND REDUCING STRESS TO THE SPINE</p> <p>ROX™ TECHNOLOGY PRODUCT DIMENSIONS L X W X H: 68.25" X 37.50" X 56.50" PRODUCT WEIGHT: 631 LBS. SELECTORIZED WEIGHT STACK: 243 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1Y	<p>ROC-IT PEC FLY (#RS-1302)</p> <p>ROX™ TECHNOLOGY EACH EXERCISE ARM HAS DUAL PIVOTS FOR USER DEFINED EXERCISE PATH SWIVELING HANDLES SELF ALIGN TO THE USER'S WRIST DURING EXERCISE STARTS WITH THE EXERCISE HANDLES POSITIONED AT THE UPPER-CHEST LEVEL, THEN ROCKS REARWARD WHICH RECRUITS THE MID AND LOW CHEST MUSCLES DURING EXERCISE MOVEMENT DESIGNED TO REDUCE THE STRESSES PLACED UPON THE ANTERIOR SHOULDER CAPSULE ASSOCIATED WITH HORIZONTAL EXTENSION AND INTERNAL ROTATION OF THE ARM RATCHETING SEAT ADJUSTMENT PRODUCT DIMENSIONS L X W X H: 73.50" X 64.25" X 55.50" PRODUCT WEIGHT: 591 LBS. SELECTORIZED WEIGHT STACK: 345 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1Z	<p>ROC-IT SEATED DIP (#RPL-5101)</p> <p>ROX™ TECHNOLOGY ADJUSTABLE EXERCISE HANDLES PROVIDE PROPER POSITIONING AND REDUCE EXCESSIVE SHOULDER STRESS AND INSTABILITY STARTS THE BODY IN A SLIGHT FORWARD LEAN, THEN ROCKS REARWARD TO A STABLE EXERCISE POSITION NATURALLY MIMICS THE EXERCISE MOTION OF A BAR DIP RATCHETING SEAT ADJUSTMENT PRODUCT DIMENSIONS L X W X H: 72.00" X 52.75" X 52.25" PRODUCT WEIGHT: 327 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1AA	<p>ROC-IT SEATED MID ROW (#RPL-5203)</p> <p>ROX™ TECHNOLOGY SELF-ALIGNING EXERCISE ARM ALLOWS THE USER TO PULL THE HANDLES DOWN INTO A LOW ROW POSITION TO RECRUIT MORE MID AND LOWER BACK MUSCLES SWIVELING HANDLES PROVIDE PRONATED, NEUTRAL AND SUPINATED GRIP POSITIONS SELF-ALIGNING RATCHETING CHEST PAD OFFERS SUPPORT THROUGHOUT EXERCISE MOTION SYNCHRONIZED DIVERGING EXERCISE MOTION FOLLOWS THE NATURAL MOVEMENT OF THE SHOULDER RATCHETING SEAT ADJUSTMENT PRODUCT DIMENSIONS L X W X H: 70.50" X 52.75" X 47.00" PRODUCT WEIGHT: 372 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 720 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1AB	<p>ROC-IT SEATED MID ROW (#RS-1203)</p> <p>ROX™ TECHNOLOGY SELF-ALIGNING EXERCISE ARM ALLOWS THE USER TO PULL THE HANDLES DOWN INTO A LOW ROW POSITION TO RECRUIT MORE MID AND LOWER BACK MUSCLES</p> <p>SWIVELING HANDLES PROVIDE PRONATED, NEUTRAL AND SUPINATED GRIP POSITIONS</p> <p>PULL MOVEMENT LIFTS THE SEAT WHILE ROCKING THE BODY REARWARD TO AVOID UNSAFE LOWER BACK HYPEREXTENSION</p> <p>UNSUPPORTED MOVEMENT OF THE TORSO RESULTS IN GREATER ACTIVATION OF THE CORE MUSCULATURE TO MAINTAIN BALANCE</p> <p>NO ADJUSTMENTS NECESSARY</p> <p>PRODUCT DIMENSIONS L X W X H: 67.50" X 47.75" X 54.75"</p> <p>PRODUCT WEIGHT: 595 LBS.</p> <p>SELECTORIZED WEIGHT STACK: 345 LBS.</p> <p>DOES NOT REQUIRE BOLTING DOWN</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS</p> <p>POWDER COATED</p> <p>COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY</p> <p>FRAME: ROUND TUBE STEEL</p> <p>WARRANTY:</p> <p>BODY/FRAME: 10 YEARS</p> <p>STRUCTURAL MOVING PARTS: 5 YEARS</p> <p>BEARINGS, BUSHINGS, PULLEYS: 3 YEARS</p> <p>COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
-----	---	------	---

1AC	<p>ROC-IT SHOULDER PRESS (#RPL-5501)</p> <p>ROX™ TECHNOLOGY CONTOURED PRESS ARM HANDLES PROVIDE MULTIPLE GRIP POSITIONS STARTS THE EXERCISE HANDLES POSITIONED IN FRONT OF THE BODY, THEN ROCKS REARWARD POSITIONING THE HANDLES OVER HEAD TO MIMC THE NATURAL MOVEMENT OF A DUMBBELL SHOULDER PRESS</p> <p>ROCKING MOVEMENT ALIGNS THE USER'S ARM WITH THE MIDLINE OF THEIR TORSO TO DECREASE EXTERNAL ROTATION OF THE ARM AND SHOULDER AND REDUCE LOWER BACK ARCHING</p> <p>SYNCHRONIZED CONVERGING EXERCISE MOTION REPLICATES DUMBBELL PRESSES</p> <p>COUNTER-BALANCED EXERCISE ARM RATCHETING SEAT ADJUSTMENT</p> <p>PRODUCT DIMENSIONS L X W X H: 81.75" X 52.75" X 55.25" PRODUCT WEIGHT: 396 LBS. MAXIMUM WEIGHT STORAGE CAPACITY: 360 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
-----	--	------	---

1AD	<p>ROC-IT SHOULDER PRESS (#RS-1501)</p> <p>ROX™ TECHNOLOGY DESIGNED TO PLACE THE HANDS IN A NEUTRAL GRIP POSITION TO REDUCE POTENTIAL SHOULDER IMPINGEMENTS STARTS THE EXERCISE HANDLES POSITIONED IN FRONT OF THE BODY, THEN ROCKS REARWARD POSITIONING THE HANDLES OVERHEAD TO MIMIC THE NATURAL MOVEMENT OF A DUMBBELL SHOULDER PRESS</p> <p>ROCKING MOVEMENT ALIGNS THE USER'S ARM WITH THE MIDLINE OF THEIR TORSO TO DECREASE EXTERNAL ROTATION OF THE ARM AND SHOULDER AND REDUCE LOWER BACK ARCHING</p> <p>RATCHETING SEAT ADJUSTMENT PRODUCT DIMENSIONS L X W X H: 66.75" X 53.50" X 54.75" PRODUCT WEIGHT: 622 LBS. SELECTORIZED WEIGHT STACK: 338 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1AE	<p>SEATED BICEPS CURL (#RS-1102)</p> <p>ROX™ TECHNOLOGY CABLE-DRIVEN EXERCISE MOVEMENT AUTOMATICALLY ADJUSTS TO ACCOMMODATE VARYING ARM LENGTHS AND SHOULDER WIDTHS SWIVELING PULLEYS PROVIDE PRONATED, NEUTRAL OR SUPINATED GRIP POSITIONS</p> <p>STARTS THE BODY IN AN UPRIGHT POSTURE TO IMPROVE ARM EXTENSION FOR BICEPS RECRUITMENT, THEN ROCKS REARWARD DURING THE EXERCISE TO REDUCE SHOULDER AND BACK INVOLVEMENT</p> <p>ROCKING MOTION MIMICS THE NATURAL MOVEMENT OF A STANDING BARBELL/DUMBBELL CURL WITHOUT INVOLVING THE LOWER BACK PRODUCT DIMENSIONS L X W X H: 64.50" X 59.00" X 58.00" PRODUCT WEIGHT: 631 LBS SELECTORIZED WEIGHT STACK: 345 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1AF	<p>SEATED CALF RAISE (#RPL-5363)</p> <p>ROX™ TECHNOLOGY MAR RESISTANT NICKEL-PLATED WEIGHT PEG LOCK-OUT AUTOMATICALLY RELEASES AT THE START OF THE EXERCISE ADJUSTABLE THIGH PAD TO ACCOMMODATE VARYING LEG LENGTHS THIGH PAD AUTOMATICALLY SELF-ALIGNS TO THE USER DURING EXERCISE PRODUCT DIMENSIONS L X W X H: 62.50" X 30.25" X 40.25" PRODUCT WEIGHT: 132 LBS. MAXIMUM EXERCISE WEIGHT CAPACITY: 800 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
1AG	<p>SEATED DIP (#RS-1101)</p> <p>ROX™ TECHNOLOGY STARTS THE BODY IN A SLIGHT FORWARD LEAN, THEN ROCKS REARWARD TO A STABLE EXERCISE POSITION ADJUSTABLE EXERCISE HANDLES PROVIDE PROPER POSITIONING AND REDUCE EXCESSIVE SHOULDER STRESS AND INSTABILITY NATURALLY MIMICS THE EXERCISE MOTION OF A BAR DIP RATCHETING SEAT ADJUSTMENT PRODUCT DIMENSIONS L X W X H: 60.00" X 49.75" X 54.75" PRODUCT WEIGHT: 616 LBS. SELECTORIZED WEIGHT STACK: 345 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1

1AH	<p>SEATED LEG CURL (#RS-1402)</p> <p>ROX™ TECHNOLOGY GAS SHOCK ASSISTED ADJUSTABLE BACK PAD ACCOMMODATES VARYING LEG LENGTHS SELF-ALIGNING ROLLER PAD AUTOMATICALLY ADJUSTS TO REDUCE POTENTIAL STRESS OF THE ANKLE JOINTS ADJUSTABLE SHIN PAD CREATES A NATURAL HINGE MOVEMENT AND REDUCES SHEARING FORCES AND STRESSES TO THE KNEE JOINTS</p> <p>STARTS THE BODY IN A UPRIGHT POSTURE, THEN ROCKS REARWARD DURING THE EXERCISE PROVIDING A GREATER RANGE-OF-MOTION AND A MORE NATURAL HINGE MOVEMENT ROCKING MOVEMENT LOWERS THE HIPS TO PREVENT FORWARD TRAVEL OF THE BODY DURING CONTRACTION UNLIKE TRADITIONAL LEG CURL MACHINES LABELED PIVOT ALIGNMENT POINTS PRODUCT DIMENSIONS L X W X H: 51.75" X 53.25" X 60.25" PRODUCT WEIGHT: 698 LBS. SELECTORIZED WEIGHT STACK: 360 LBS. DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
-----	---	------	---

1AI	<p>MOTION CAGE JUNGLE GYM</p> <p>INCLUDES FOLLOWING FEATURES/ACCESSORIES/STATIONS:</p> <p>MC-7000 BASE UNIT (INCLUDES MONKEY BARS, ROCK WALL, FIXED PEG BOARD, DIP STATION, JUMP PLATFORM, 3-PAIRS STRAP/BAND STATIONS, 16 X SHELVES AND 2 X CF-3950 UTILITY STOOLS)</p> <p>MC-7022 REBOUNDER STATION (LOW TARGET)</p> <p>MC-7023 TARGET STATION (MEDIUM, AND HIGH TARGETS)</p> <p>MC-7021 HEAVY BAG MOUNTING STATION</p> <p>MC-7033 HEAVY BAG (6' TALL 14" DIAMETER BAG WITH HEAVY DUTY NYLON STRAPS AND SYNTHETIC LEATHER CONSTRUCTION)</p> <p>MC-7027 CHIN-UP STATION (ANGLED, NEUTRAL, ROCK CLIMBING AND EXTRA WIDE STRAIGHT GRIPPING OPTIONS)</p> <p>MC-7025 RENEGADE STATION (FUNCTIONAL OLYMPIC BAR EXERCISER)</p> <p>MC-7030 CAGE SHELF 8 5/8" DEEP X 27" LONG X 3" TALL DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED, COLOR: PATRIOT BLUE FRAME: ROUND TUBE STEEL WARRANTY: BODY/FRAME: 10 YEARS STRUCTURAL MOVING PARTS: 5 YEARS BEARINGS, BUSHINGS, PULLEYS: 3 YEARS COATING, CABLES, EXTERIOR UPHOLSTERY AND ACCESSORIES: 1 YEAR</p>	EACH	1
		EACH	18

	BRAND: LEGEND (1AJ – 1AS)		
1AJ	<p>PRO SERIES HALF CAGE #3226-9</p> <p>(LXWXH):58"X68.5"X104" SHIPPING WEIGHT: 829LBS. MONSTER HOOKS: OVERSIZED, DUAL PEG, FULLY WELDED BAR CATCHES WITH CARRY HANDLE, NUMBER WINDOW AND EXTREMELY DURABLE YET REPLACEABLE POLYMER CONTACT SURFACES EXTENDED REACH PROFILE OF HOOK INCREASES SAFETY WITHOUT GETTING IN THE WAY NO METAL-TO-METAL CONTACT WITH THE BAR 7 GAUGE, CHROME-PLATED RACKING WITH LASER-CUT NUMBERING RESISTANCE BAND PEGS OLYMPIC BAR STORAGE 3" X 2" ADJUSTABLE BAR CATCHES WITH ABS WEARGUARDS 11 GAUGE 3X3-INCH STEEL TUBE FRAME 12 BOLTS ACROSS 4 JOINTS 12 CHROME-PLATED, FRAME-WELDED, NUMBERED, OLYMPIC-SIZE PLATE STORAGE PEGS THAT ARE SLIGHTLY ANGLED FOR SAFETY UPRIGHT BAR STORAGE FOR UP TO 4 OLYMPIC BARS 2 ANGLED STORAGE PEGS FOR RESISTANCE BANDS/CHAINS MULTI GRIP PULL-UP BAR ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS: 3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLORS: 2 MAIN UPRIGHT FRAME ELEMENTS: PATRIOT BLUE COLOR POWDER COAT ALL OTHER PAINTABLE PARTS: BLACK COLOR POWDER COAT LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS AND PULLEY WHEELS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	4

1AK	<p>VIBEPLATE PLATFORM (#7007)</p> <p>INTEGRATES VIBEPLATE 2440 PLATFORM 2X6-INCH RECTANGULAR STEEL TUBE FRAME ¾-INCH RUBBER SURFACE 6 INCHES OF MULTI-LAYER IMPACT PROTECTION AND ABSORPTION ONLY 4 FRAME PIECES (INCLUDING RAMP) ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS</p> <p>SHIPPING WEIGHT: 1764LBS. (LXWXH):113"X107"X6" DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS POWDER COATED COLOR: BLACK LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS AND PULLEY WHEELS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	1
1AL	<p>SINGLE LANDMINE (#3233)</p> <p>BLACK COLOR POWDER COATED MOUNTS ON THE LEGEND PRO SERIES HALF CAGE #3226 CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS (LXWXH):22"X9"X4" ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS</p> <p>LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	2

1AM	<p>DUAL LAND MINE (#3235)</p> <p>BLACK COLOR POWDER COATED MOUNTS ON THE LEGEND PRO SERIES HALF CAGE #3226 CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS (LXWXH):19.5"X10.5"X4"</p> <p>ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS</p> <p>LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	2
1AN	<p>PRO SERIES CAGE TECHNIQUE TRAYS #3226-T</p> <p>SHIPPING WEIGHT: 80LBS. MEASUREMENTS: (LXWXH):24"X23"X12"</p> <p>BLACK COLOR POWDER COATED MOUNTS ON THE LEGEND PRO SERIES HALF CAGE #3226 CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS</p> <p>LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	PAIR	2

1AO	<p>OBLIQUE FLEXOR (#3160)</p> <p>V-SHAPED PADS DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS</p> <p>COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY SHIPPING WEIGHT: 200LBS. (LXWXH):55"X30"X36"</p> <p>ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS: 3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS AND PULLEY WHEELS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	1
1AP	<p>PERFORMANCE PLYO CUSHION SET (#3231)</p> <p>THREE PIECES OF VARYING HEIGHTS 6 TO 42 INCHES ENORMOUS VELCRO TABS AROUND THE EDGES SECURE THE SEGMENTS TO ONE ANOTHER SKINS CRAFTED FROM A HEAVY DUTY TARP MATERIAL WITH A GRID PATTERN TEXTURE THAT OFFERS ADDITIONAL TRACTION FOR WHEN THEY GET SWEATY ALL FIRM FOAM CONSTRUCTION - NO METAL OR WOOD OR OTHER HARD MATERIALS THE STIFF FOAM PROVIDES A REBOUND EFFECT FOR NON-BOUNCING D-BALLS UP TO 100 POUNDS IN WEIGHT. CYLINDRICAL SHAPED BLACK COLOR SHIPPING WEIGHT: 185LBS. (LXWXH):36"X36"X42" (3 SEPARATE CUSHIONS: 6", 12", 24" HIGH) WARRANTY: 90 DAYS</p>	SET	2

1AQ	<p>STANDING LEG CURL (#970)</p> <p>150 LB SELECTORIZED WEIGHT STACK COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS SHIPPING WEIGHT: 496LBS. (LXWXH):46"X30"X74"</p> <p>ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS 3/16" DIAMETER AIRCRAFT CABLE WITH A 7 X 19 CONSTRUCTION AND BLACK NYLON COATING. THE CABLE IS RATED AT A BREAKING STRENGTH OF 3100 LBS</p> <p>PULLEYS ARE 4 1/2" DIAMETER FIBERGLASS-IMPREGNATED NYLON WITH A PRECISION FIT CABLE GROOVE AND 6203 DOUBLE SEALED NON-FRICTION ROLLER BEARINGS.</p> <p>SOLID STEEL WEIGHT STACK PLATES WITH A BLACK FINISH. SELF ALIGNING LOW FRICTION SLEEVE BEARING SURROUND THE GUIDE RODS ON EVERY WEIGHT STACK PLATE</p> <p>HEAVY DUTY DIE CAST SPRINGS ARE USED UNDER THE WEIGHT STACK TO REDUCE SHOCK AND VIBRATION STRESSES</p> <p>GUIDE RODS ARE SOLID STEEL AND HARD CHROME PLATED TO ENSURE QUIET OPERATION AND LOW FRICTION MOVEMENT</p> <p>LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS AND PULLEY WHEELS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	1
1AR	<p>HORIZONTAL BUMPER RACK (#3163)</p> <p>HOLDS EIGHT 45 LB. BUMPER PLATES DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY TRANSPORT WHEELS AND HANDLE SHIPPING WEIGHT: 43LBS. (LXWXH):55"X11"X11"</p> <p>ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS:</p> <p>3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS AND PULLEY WHEELS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	2

1AS	<p>LANDMINE/GRAPPLER WIDE HANDLES (#3220W)</p> <p>BLACK COLOR POWDER COATED CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS FITS STANDARD OLYMPIC BARS INCLUDES WIDE GRIP HANDLES AND PRONATED HANDLES (LXWXH):11"X46.75"X8" SHIPPING WEIGHT: 32LBS. ALL-WELDED CONSTRUCTION BY INERT-GAS MIG WELDING TO CONFORM WITH AND IN ACCORDANCE WITH THE FOLLOWING CODES AND/OR STANDARDS: 3:1 AWS, A3.0 WELDING TERMS AND DEFINITIONS 3.2 AWS D1.1-81 STRUCTURAL WELDING CODE-STEEL 3.2 AWS D9.1 SPECIFICATIONS LIMITED LIFETIME WARRANTY - STRUCTURAL WELDS AND FRAMES FIVE-YEAR WARRANTY - BRONZE BUSHINGS, PILLOW BLOCK BEARINGS ONE-YEAR WARRANTY - CABLES, WEIGHT PLATES, GUIDE RODS, SEALED ROLLER BEARINGS AND ALL OTHER COMPONENTS NOT MENTIONED ELSEWHERE IN THIS WARRANTY. NINETY-DAY WARRANTY - UPHOLSTERY AND GRIPS</p>	EACH	1
-----	--	------	---

	BRAND: VIBEPLATE (1AT ONLY)		
1AT	<p>VIBEPLATE 2440 VIBRATION PLATFORM</p> <p>24" X 40" 5.5" HEIGHT WEIGHT: 157LBS CAPACITY: 2400LBS ADJUSTABLE FREQUENCY: 10-60HZ VERTICAL VIBRATION 2MM AMPLITUDE POWER – REGULAR 110V OUTLET BLACK POWDER COATED BLACK RUBBER FLOORING ON TOP INTEGRATES INTO LEGEND VIBEPLATE PLATFORM (#7007) DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS WARRANTY: 5 YEARS MOTOR, LIFETIME FRAME</p>	EACH	1
	BRAND: PLAE (1AU ONLY)		
1AU	<p>LIFTING AREA FLOOR</p> <p>30' X 16' COVERED AREA WITH 3 PLATFORM AREAS</p> <p>ACHR-425-13 ACHIEVE ROLLS 13MM MODERN GREY RECYCLED RUBBER ROLL</p> <p>APLAT-810 13MM VIRGIN RUBBER OLYMPIC PLATFORM SIZE:6'X'8', COLOR:4'X6' MAPLE, 2 2'X6' 100% BLACK BUMPERS WITH UFC WATERJET LOGO</p> <p>PLAE TRANSITIONS 1/2" - 0" COLOR BLACK COVE BASE 4" COLOR: BLACK ECOFUSE ADHESIVE 5GAL SPREAD 350SF INCLUDES SET UP/INSTALLATION WARRANTY: ACHIEVE IS GUARANTEED TO BE FREE OF MANUFACTURING DEFECTS IN MATERIAL AND WORKMANSHIP FOR 15 YEARS (SPECIAL STIPULATIONS APPLY FOR USE IN EQUINE FACILITIES).</p> <p>IF THERE ARE DEFECTS IN MATERIAL AND WORKMANSHIP, PLAE WILL REPLACE THE FLOORING AND CREDIT THE CUSTOMER THE FOLLOWING AMOUNTS BASED ON CURRENT PRICES AT THE TIME OF REPLACEMENT:</p> <p>A. 1 TO 3 YEARS - 100% B. 4 YEARS - 90% C. 5 YEARS - 80% D. 6 YEARS - 70% E. 7 YEARS - 60% F. 8 YEARS - 50% G. 9 YEARS - 40% H. 10 YEARS - 30% I. 11 YEARS - 20% J. 12 - 15 YEARS 10%</p>		

	TRADE-INS	SERIAL NUMBER		
1AV	# 01 PARAMOUNT AP-2800 LEG PRESS	AP-28 0107 012	EACH	1
1AW	# 02 PARAMOUNT AP-2000 LEG EXTENSION	AP-20 0107 024	EACH	1
1AX	# 02 PARAMOUNT AP-2000 LEG EXTENSION	AP-20 0109 022	EACH	1
1AY	# 04 PARAMOUNT AP-2100 SEATED LEG CURL	AP-21 0107 017	EACH	1
1AZ	# 05 HAMMER STRENGTH SQUAT LUNGE	NONE	EACH	1
1BA	# 06 BODY MASTERS S110A STANDING LEG CURL	NONE	EACH	1
1BB	# 07 PARAMOUNT AP-4100 HORIZONTAL LEG CURL	AP-41 0108 007	EACH	1
1BC	# 08 PARAMOUNT AP-4600 ROTARY INCLINE CHEST PRESS	AP-46 0106 005	EACH	1
1BD	# 09 PARAMOUNT AP-4400 ROTARY SHOULDER PRESS	AP-44 0107 009	EACH	1
1BE	# 10 PARAMOUNT AP-4200 ROTARY CHEST PRESS	AP-42 0105 014	EACH	1
1BF	# 11 BODY MASTER SEATED PEC DEC-VERTICAL MD314	NONE	EACH	1
1BG	# 12 PARAMOUNT AP-3400 PEC / FLY REAR DELTOID	AP-34 0107 024	EACH	1
1BH	# 13 HAMMER STRENGTH MTS DECLINE PRESS	TDP010120	EACH	1
1BI	# 14 PARAMOUNT AP-2200 TRICEPS EXTENSION	AP-22 0106 030	EACH	1
1BJ	# 15 PARAMOUNT AP-2300 BICEPS CURL	AP-23 0107 025	EACH	1
1BK	# 16 HAMMER STRENGTH MTS HIGH ROW	(OBSCURED)	EACH	1
1BL	# 17 PARAMOUNT AP-4300 ROTARY UPPER BACK	AP-43 0104 014	EACH	1
1BM	# 18 PARAMOUNT AP-4500 ROTARY LAT PULLDOWN	AP-45 0107 007	EACH	1
1BN	# 19 PARAMOUNT AP-3800 HIP ADDUCTOR	AP-38 0107 013	EACH	1
1BO	# 20 PARAMOUNT AP-3900 HIP ABDUCTOR	AP-39 0107 011	EACH	1
1BP	# 21 PARAMOUNT AP-3200 ABDOMINAL	AP-32 0107 077	EACH	1
1BQ	# 22 FREE MOTION ABDOMINAL	(NONE VISIBLE)	EACH	1
1BR	# 23 PARAMOUNT AP-2900 MULTI-HIP	AP- 0105 023	EACH	1
1BS	# 24 PARAMOUNT AP-3000 ROTARY TORSO	AP-30 0106 003	EACH	1
1BT	# 25 PARAMOUNT AP-3300 LOWER BACK	AP-33 0106 018	EACH	1
1BU	# 27 HAMMER STRENGTH 4-WAY NECK	NONE	EACH	1
1BV	# 28 INTEGRA STRENGTH PLATE LOADED LEG EXT.	NONE	EACH	1
1BW	# 29 INTEGRA STRENGTH PLATE LOADED LEG CURL	NONE	EACH	1
1BX	# 30 INTEGRA STRENGTH PLATE LOADED SHOULDER PRESS	NONE	EACH	1
1BY	# 31 NEBULA PLATE LOADED LEVER ROW	NONE	EACH	1
1BZ	# 32 HAMMER STRENGTH LAT PULLOVER	NONE	EACH	1
1CA	# 33 INTEGRA STRENGTH PLATE LOADED BICEPS CURL	NONE	EACH	1
1CB	# 34 INTEGRA STRENGTH PLATE LOADED SEATED TRICEPS PRESS	NONE	EACH	1
1CC	# 35 INTEGRA STRENGTH PLATE LOADED CHEST PRESS	NONE	EACH	1
1CD	# 36 INTEGRA STRENGTH PLATE LOADED INCLINE CHEST PRESS	NONE	EACH	1
1CE	# 37 INTEGRA STRENGTH PLATE LOADED DECLINE CHEST PRESS	NONE	EACH	1
1CF	# 38 INTEGRA STRENGTH PLATE LOADED LAT PULLDOWN	NONE	EACH	1
1CG	# 39 PARAMOUNT PFW-5500 T-BAR ROW	PFW-55 0105 016	EACH	1
1CH	# 40 HOIST ROC-IT LEG PRESS	(WORN OFF)	EACH	1
1CI	# 41 PRECOR ICARIAN SUPER SQUAT 624	NONE	EACH	1
1CJ	# 42 NEBULA ISOLATERAL LEG PRESS	NONE	EACH	1
1CK	# 43 NABULA ANGLED LEG PRESS	NONE	EACH	1
1CL	# 44 NEBULA HACK SQUAT	NONE	EACH	1
1CM	# 45 PARAMOUNT SEATED CALF	(NONE VISIBLE)	EACH	1
1CN	# 48 HAMMER STRENGTH COMBO TWIST	NONE	EACH	1
1CO	# 49 MAGNUM BIANGULAR JAMMER	57038	EACH	1
1CP	# 51 YORK SMITH MACHINE	NONE	EACH	1
1CQ	# 53 NEBULA BARBELL PREACHER BENCH	NONE	EACH	1
1CR	# 55 FREE MOTION CABLE CROSS	(NONE	EACH	1

1CS	# 56 PARAMOUNT PFW-8500 MULTI-STATION	VISIBLE) PFW-85 0105 015	EACH	1
1CT	# 57 FREE MOTION LIFT	(NONE VISIBLE)	EACH	1
1CU	# 58 NEBULA PLATE LOADED VERTICAL LEG PRESS	NONE	EACH	1
1CV	# 59 FREEMOTION CALF	(NONE VISIBLE)	EACH	1
1CW	# 60 PARAMOUNT AP-3500 CALF RAISE	AP-35 0105 014	EACH	1
1CX	# 61 MUSCLE DYNAMICS MAXICAM GLUTE BLASTER	67200	EACH	1
1CY	# 62 PARAMOUNT AP-4000 CHIN / DIP	AP-40 0107 005	EACH	1
1CZ	# 63 HAMMER STRENGTH PLATE LOADED TIBIA DORSI FLEXION	NONE	EACH	1
1DA	# 65 PARAMOUNT PFW-5600 BACK HYPEREXTENSION	AP-56 0107 002	EACH	1
1DB	# 66 MUSCLE DYNAMICS MAXICAM OBLIQUE FLEXOR	(NONE VISIBLE)	EACH	1
1DC	# 67 PERFORMANCE SS GLUTE / HAM	NONE	EACH	1
1DD	HAMMER STRENGTH ADJUSTABLE BENCH	(NONE VISIBLE)	EACH	1
1DE	HAMMER STRENGTH FWADJ B00 ADJUSTABLE BENCH	10555	EACH	1
1DF	HOIST ADJUSTABLE BENCH	(NONE VISIBLE)	EACH	2
1DG	KETTLE BELL RACK	NONE	EACH	1
1DH	MAGNUM WEIGHT PLATE TREE	59-? (WORN)	EACH	1
1DI	MAGNUM WEIGHT PLATE TREE	59169	EACH	1
1DJ	MAGNUM WEIGHT PLATE TREE	?-37 (WORN)	EACH	1
1DK	MAGNUM WEIGHT PLATE TREE	591?? (WORN)	EACH	1
1DL	MAGNUM WEIGHT PLATE TREE	59166	EACH	1
1DM	MAGNUM WEIGHT PLATE TREE	59164	EACH	1
1DN	MUSCLE DYNAMICS MAXICAM 3 TIER DUMBBELL RACK	NONE	EACH	1
1DO	MUSCLE DYNAMICS MAXICAM 4 PAIR DUMBBELL RACK	NONE	EACH	1
1DP	MUSCLE DYNAMICS MAXICAM STANDING INCLINE BENCH	NONE	EACH	1
1DQ	NEBULA ACCESSORY RACK	NONE	EACH	1
1DR	NEBULA DECLINE BENCH	NONE	EACH	1
1DS	NEBULA HALF-RACK WITH NARROW PLATFORM & ADJUSTABLE BENCH	NONE	EACH	3
1DT	NEBULA HALF-RACK WITH WIDE PLATFORM	NONE	EACH	1
1DU	NEBULA HALF-RACK WITH WIDE PLATFORM (*BROKEN STORAGE RACK)	NONE	EACH	2
1DV	PROMAXIMA 5-BALL VERTICAL MEDICINE BALL RACK	NONE	EACH	1
1DW	PROMAXIMA PLYO PLATFORM (SET OF 3)	NONE	SET	2
1DX	PROMAXIMA WEIGHT PLATE TREE	NONE	EACH	2
1DY	YORK 20-PAIR TWO TIER DUMBBELL RACK	NONE	EACH	3
1DZ	YORK UTILITY BENCH	NONE	EACH	2
1EA	YORK WEIGHT PLATE TREE	NONE	EACH	2

ITEM 1 (1A-1EA) INCLUSIVE PACKAGE PRICE \$ _____

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
2A	<p>BRAND: FREEMOTION - GROUP B (2A – 2F)</p> <p>DUAL CABLE CROSS FUNCTIONAL TRAINER (#F624)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY DUAL WEIGHT STACK SELECTORIZED WEIGHT STACK CONFIGURATION: 2.5 – 75 X 2.5 LBS. (1.13 – 34 X 1.13 KG) PER WEIGHT STACK 2 INDEPENDENT DUAL AXIS PIVOTING ARMS WITH 12 VERTICAL AND 9 HORIZONTAL POSITION SETTINGS SWIVEL PULLEYS 92" CABLE TRAVEL ADA WHEELCHAIR ACCESSIBLE 3:1 CABLE RATIO WEIGHT: 1150LBS EFFECTIVE RESISTANCE PER ARM – 75 LBS. (34 KG) CABLE DIAMETER 3/16-INCH RATED TO 2,000 LBS. DIMENSIONS (LWH) 62" X 123" X 95" (157 CM X 312 CM X 241 CM) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	2
2B	<p>PEC FLY / REAR DELTOID (#F806)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY UNILATERAL ARM MOVEMENT MULTIPLE HANDLE GRIPS ADJUSTABLE SEAT DIMENSIONS (LWH) 53" X 67" X 76" (135 CM X 170 CM X 193 CM) 195LB SELECTORIZED WEIGHT STACK W/ 5LB DROP DOWN INCREMENT WEIGHT WEIGHT STACK CONFIGURATION: (18) 10 LB. PLATES (4.5 KGS) (1) 10 LB. TOP PLATE (4.5 KGS) (1) 5 LB. INCREMENT WEIGHT (2.25 KGS) PRODUCT WEIGHT 606 LBS. (275 KGS) MAXIMUM USER WEIGHT 350 LBS. (159 KGS) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	1

2C	<p>PRONE LEG CURL (#F814)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY ADJUSTABLE LEG ASSEMBLY CONTOURED ARM SUPPORTS HEAVY-DUTY, 1/4" CABLE RATED TO 4,200 LB. MINIMUM TENSILE STRENGTH. 195 LB. SELECTORIZED WEIGHT STACK WITH A 5 LB. DROP-DOWN INCREMENT WEIGHT DIMENSIONS (LWH) 67" X 47" X 60" (170 CM X 119 CM X 152 CM) WEIGHT STACK CONFIGURATION (18) 10 LB. PLATES (4.5 KGS) (1) 10 LB. TOP PLATE (4.5 KGS) (1) 5 LB. INCREMENT WEIGHT (2.25 KGS) PRODUCT WEIGHT 551 LBS. (250 KGS) MAXIMUM USER WEIGHT 350 LBS. (159 KGS) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	1
2D	<p>ROTARY TORSO (#F818)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY UPPER BODY ROTATION 13 START POSITION ADJUSTMENT HEAVY-DUTY, 1/4" CABLE RATED TO 4,200 LB. MINIMUM TENSILE STRENGTH. 175 LB. WEIGHT STACK WITH A 5 LB. DROP-DOWN INCREMENT WEIGHT DIMENSIONS (LWH) 60" X 54" X 77" (152 CM X 137 CM X 196 CM) SELECTORIZED WEIGHT STACK CONFIGURATION: (16) 10 LB. PLATES (4.5 KGS) (1) 10 LB. TOP PLATE (4.5 KGS) (1) 5 LB. INCREMENT WEIGHT (2.25 KGS) PRODUCT WEIGHT 562 LBS. (255 KGS) MAXIMUM USER WEIGHT 350 LBS. (159 KGS) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	1

2E	<p>SMITH MACHINE (#F211)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY WALK-THROUGH DESIGN SAFETY STOPS CABLES, LINEAR SHAFTING AND SAFETY STOP ARE SHIELDED 82.5" BAR HEIGHT, EXCEEDS 51" OF SQUATTING AND PRESSING RANGE OF MOTION LENGTH: 54" (137 CM) WIDTH: 91" (231 CM) HEIGHT: 95" (241 CM) PRODUCT WEIGHT 750 LBS.(340 KG) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	1
2F	<p>SEATED LEG EXTENSION (#F801)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN POWDER COATED COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY LEG ASSEMBLY CAN BE SET IN ONE OF ELEVEN START POSITIONS ADJUSTABLE BACK PAD HEAVY-DUTY, 1/4" CABLE RATED TO 4,200 LB. MINIMUM TENSILE STRENGTH. 285 LB. SELECTORIZED WEIGHT STACK WITH A 5 LB. DROP-DOWN INCREMENT WEIGHT ADJUSTABLE LEG PAD DIMENSIONS (LWH) 50" X 57" X 60" (127 CM X 145 CM X 152 CM) WEIGHT STACK CONFIGURATION (11) 20 LB. PLATES (9 KGS) (5) 10 LB. PLATES (4.5 KGS) (1) 10 LB. TOP PLATE (4.5 KGS) (1) 5 LB. INCREMENT WEIGHT (2.25 KGS) PRODUCT WEIGHT 644 LBS. (292 KGS) MAXIMUM USER WEIGHT 350 LBS. (159 KGS) WARRANTY: 10 YEARS STRUCTURAL FRAME, 3 YEARS BEARINGS, GUIDE RODS, PULLEYS, WEIGHT STACKS, 1 YEAR CABLES, 1 YEAR LABOR, 120 DAYS UPHOLSTERY & HANDLES/ACCESSORIES</p>	EACH	1

ITEM 2 (2A-2F) INCLUSIVE PACKAGE PRICE \$ _____

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
	BRAND: GOPHER PERFORMANCE GROUP C (3A – 3J)		
3	ULTRAFIT KETTLEBALL™ / TYROBALL™ KETTLEBELLS KETTLEBALL™ DIAMETER: 8" TYROBALL™ DIAMETER: 5.2" SOLID RUBBER KETTLEBELLS FLAT BOTTOM NO METAL, WEIGHT PROVIDED BY HEAVY RUBBER COLOR-CODED WITH WEAR PROOF NUMBERING LIFETIME WARRANTY AGAINST DEFECTS		
3A	KETTLEBALL™ 20 LB, ROYAL BLUE (#69-124)	EACH	2
3B	KETTLEBALL™ 25 LB, MAROON (#69-125)	EACH	2
3C	KETTLEBALL™ 30 LB, GRAY (#69-126)	EACH	2
3D	KETTLEBALL™ 35 LB, BLACK (#69-127)	EACH	2
3E	TYROBALL™ 3 LB, RED (#68-839)	EACH	4
3F	TYROBALL™ 5 LB, PURPLE (#68-841)	EACH	4
3G	TYROBALL™ 8 LB, GREEN (#68-844)	EACH	4
3H	TYROBALL™ 10 LB. BROWN (#68-857)	EACH	4
3I	TYROBALL™ 12 LB. GRAY (#68-858)	EACH	4
3J	TYROBALL™ 15 LB. BLACK (#68-859)	EACH	4

ITEM 3 (3A-3J) INCLUSIVE PACKAGE PRICE \$ _____

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
	BRAND: IRON GRIP GROUP D (4A – 4I)		
4	DUMBBELLS 12-SIDED, ANTI-ROLL HEADS WITH STABLE, FLAT, TIP-RESISTANT ENDS BLACK HEAVY-DUTY URETHANE COATED ENDS WITH WHITE LETTERING/NUMBERING STEEL HANDLES DRILLED, CHAMFERED AND MACHINED HEADS, WHICH ARE WELDED TOGETHER TO PRODUCE A SOLID STEEL INSERT WELDED CONSTRUCTION STYLING MUST MATCH OUR EXISTING DUMBBELLS WARRANTY: 5 YEARS		
4A	DUMBBELLS 10LB	PAIR	1
4B	DUMBBELLS 15LB	PAIR	1
4C	DUMBBELLS 20LB	PAIR	1
4D	DUMBBELLS 25LB	PAIR	1
4E	DUMBBELLS 30LB	PAIR	1
4F	DUMBBELLS 50LB	PAIR	1
4G	DUMBBELLS 55LB	PAIR	1
4H	DUMBBELLS 60LB	PAIR	1
4I	DUMBBELLS 70LB	PAIR	1

ITEM 4 (4A-4I) INCLUSIVE PACKAGE PRICE \$_____

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
	BRAND: MUSCLE DYNAMICS GROUP E (5A – 5C)		
5A	MAXICAM TWO TIER, 10 PAIR REINFORCED DUMBBELL RACK (#3006AQ) 91" X 22" X 31" (LWH) / 190 LBS SILVER/PLATINUM COLOR POWDER COATED 2"X3" .120 ROLLED STEEL TUBE FRAME CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN INDIVIDUAL NOISE ABSORBING SADDLES FOR 20 DUMBBELLS REPLACEABLE SADDLES MUST MATCH STYLE OF 6-PAIR 2-TIER DUMBBELL RACKS WARRANTY: LIFETIME FRAME AND WELDS	EACH	3
5B	MAXICAM TWO TIER, 6 PAIR DUMBBELL RACK 3006R LWH: 57X22X31 120 LBS SILVER/PLATINUM COLOR POWDER COATED 2"X3" .120 ROLLED STEEL TUBE FRAME CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN INDIVIDUAL NOISE ABSORBING SADDLES FOR 12 DUMBBELLS MUST MATCH STYLE OF 10-PAIR 2-TIER DUMBBELL RACKS WARRANTY: LIFETIME FRAME AND WELDS	EACH	2
5C	MAXICAM STANDING INCLINE BENCH 3011A SILVER/PLATINUM COLOR POWDER COATED 2"X3" .120 ROLLED RECTANGULAR STEEL TUBE FRAME CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN 63.5" LONG, 30.5" WIDE, 56" TALL WARRANTY: LIFETIME FRAME AND WELDS	EACH	1

ITEM 5 (5A-5C) INCLUSIVE PACKAGE PRICE \$ _____

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
6A	<p>BRAND: STAR TRAC GROUP F (6A – 6D)</p> <p>ADJUSTABLE BACK HYPEREXTENSION (# IP-B7514)</p> <p>SILVER/PLATINUM COLOR POWDER COATED FLATTENED ROUND TUBE FRAME CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN 5 DIFFERENT POSITIONS RANGING FROM 35 TO 55 DEGREES TELESCOPING PAD ADJUSTMENT OVERSIZED THIGH STABILIZATION PADS STABILIZATION GRIPS WEIGHT PLATE PEGS FOR STORAGE OF SMALL PLATES INTEGRATED GRIP AND WHEELS FOR TRANSPORT SHIP WEIGHT 182 LBS (82.8 KG) WIDTH 34" (86.4 CM) LENGTH 53" (134.6 CM) HEIGHT 31" (78.7 CM) WARRANTY: 10 YEARS FRAME, 5 YEARS PARTS, 90 DAYS GRIPS & UPHOLSTERY</p>	EACH	1
6B	<p>WEIGHT PLATE TREE (# IP-R7513)</p> <p>BLACK COLOR POWDER COATED FLATTENED ROUND TUBE FRAME DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS NUMERIC MARKERS FOR CORRECT REPLACEMENT OF STORED PLATES URETHANE PROTECTED SURFACES TWO STORAGE SLEEVES TO ACCOMMODATE 5 FOOT OLYMPIC BARS 4 SIDES WITH 3 HORNS PER SIDE SHIP WEIGHT 150.7 LBS (68.5 KG) WIDTH 28" (71 CM) LENGTH 28" (71 CM) HEIGHT 46" (115 CM) WARRANTY: 10 YEARS FRAME, 5 YEARS PARTS, 90 DAYS GRIPS & UPHOLSTERY</p>	EACH	5

6C	<p>ADJUSTABLE DECLINE BENCH (# IP-B7508)</p> <p>SILVER/PLATINUM COLOR POWDER COATED FLATTENED ROUND TUBE FRAME AT LEAST 0° TO 30° DECLINE IN AT LEAST 7 INCREMENTS DOES NOT REQUIRE BOLTING DOWN TRANSPORT WHEELS AND HANDLE CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS SHIP WEIGHT 167.2 LBS (76 KG) WIDTH 27" (68.5 CM) LENGTH 63" (160 CM) HEIGHT 20" (50 CM) WARRANTY: 10 YEARS FRAME, 5 YEARS PARTS, 90 DAYS GRIPS & UPHOLSTERY</p>	EACH	1
6D	<p>PREACHER CURL BENCH (#IP-B7509)</p> <p>SILVER/PLATINUM COLOR POWDER COATED FLATTENED ROUND TUBE FRAME CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS DOES NOT REQUIRE BOLTING DOWN DUAL MOLDED URETHANE BAR HOLDERS GAS ASSIST ADJUSTABLE SEAT PAD WEAR COVER FOR EASY UPHOLSTERY REPLACEMENT WEAR GUARDS ON FRONT CROSSBAR SHIP WEIGHT 186.7 LBS (84.7 KG) WIDTH 29.7" (75 CM) LENGTH 43.4" (110 CM) HEIGHT 40.1" (101.9 CM) WARRANTY: 10 YEARS FRAME, 5 YEARS PARTS, 90 DAYS GRIPS & UPHOLSTERY</p>	EACH	1

ITEM 6 (6A-6D) INCLUSIVE PACKAGE PRICE \$ _____

BID SPECIFICATIONS FOR UAHUNTSVILLE FITNESS CENTER EXERCISE EQUIPMENT

DELIVERY AND INSTALLATION MUST OCCUR **12/19/13 - 12/23/13**

ITEM	DESCRIPTION	UNITS	QTY
	BRAND: UMAX GROUP G (7A - 7D)		
7	BUMPER PLATES SOLID RUBBER WITH STEEL CENTER HUB CENTER HOLE DIAMETER: 1.988" (50MM) PLATE DIAMETER: 17.717" (450MM) WARRANTY: 2 YEARS		
7A	10LB (BLACK) BUMPER PLATES METAL CORE DIAMETER: 90MM (3.543") PLATE THICKNESS: 21.5MM (0.846")	EACH	4
7B	25LB (BLACK) BUMPER PLATES METAL CORE DIAMETER: 150MM (5.906") PLATE THICKNESS: 36MM (1.417")	EACH	4
7C	35LB (BLACK) BUMPER PLATES METAL CORE DIAMETER: 150MM (5.906") PLATE THICKNESS: 43MM (1.693")	EACH	4
7D	45LB (BLACK) BUMPER PLATES METAL CORE DIAMETER: 150MM (5.906") PLATE THICKNESS: 52MM (2.047")	EACH	4

ITEM 7 (7A-7D) INCLUSIVE PACKAGE PRICE \$ _____

BID SPECIFICATIONS FOR UAHUNTSVILLE FITNESS CENTER EXERCISE EQUIPMENT

DELIVERY AND INSTALLATION MUST OCCUR 12/19/13 - 12/23/13

ITEM	DESCRIPTION	UNITS	QTY
	BRAND: VIBEPLATE GROUP H (8A – 8C)		
8A	VIBEPLATE 3048 VIBRATION PLATFORM 30" X 48" 5.5" HEIGHT WEIGHT: 211LBS CAPACITY: 2400LBS ADJUSTABLE FREQUENCY: 10-60HZ VERTICAL VIBRATION 2MM AMPLITUDE POWER - REGULAR 110V OUTLET BLACK POWDER COATED BLACK RUBBER FLOORING ON TOP DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS WARRANTY: 5 YEARS MOTOR, LIFETIME FRAME	EACH	1
8B	VIBEPLATE XL VIBRATION PLATFORM 24" X 72" 5.5" HEIGHT CAPACITY: 1800LBS ADJUSTABLE FREQUENCY: 10-60HZ VERTICAL VIBRATION 2MM AMPLITUDE POWER - REGULAR 110V OUTLET BLACK POWDER COATED BLACK RUBBER FLOORING ON TOP WEIGHT: 250LBS DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS WARRANTY: 5 YEARS MOTOR, LIFETIME FRAME	EACH	1
8C	VIBEPLATE DOUBLE HANDRAILS FITS VIBPLATE™ VIBRATION PLATFORMS LENGTH - 40 INCHES HEIGHT FROM THE FLOOR - 42 INCHES HEIGHT FROM THE PLATFORM - 36-37 INCHES WEIGHT - 18 POUNDS 1/8 INCH THICK STEEL CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS	PAIR	2

ITEM 8 (8A-8C) INCLUSIVE PACKAGE PRICE \$_____

BRAND: PRECOR GROUP I				
12	<p>SUPER SQUAT (#624) PLATE LOADED SQUAT MACHINE</p> <p>DOES NOT REQUIRE BOLTING DOWN CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS</p> <p>COLOR: SILVER/PLATINUM POWDER COAT, BLACK UPHOLSTERY 11 GAUGE (.120") AND 7 GAUGE (.188") 2X4-INCH BENT ELECTROWELD STEEL TUBING</p> <p>CAN BE USED BOTH FACE-IN AND FACE-OUT OVERSIZED ANGLED FOOTPLATE PIVOTING MOTION UPHOLSTERY WITH BEAUTYGUARD PROTECTIVE TOPCOAT FINISH FABRIC MEETS OR EXCEEDS CALIFORNIA FIRE REGULATIONS DOUBLE STITCHING ON ALL SEAMS LENGTH: 70 INCHES / 201 CM WIDTH: 64 INCHES / 163 CM HEIGHT: 58 INCHES / 147 CM EQUIPMENT WEIGHT: 430 LBS / 196 KG</p> <p>WARRANTY: FRAME 10 YEARS PARTS (MECHANICAL) 5 YEARS WEAR ITEMS 6 MONTHS OTHER (INCLUDING HAND GRIPS, END CAPS, CABLES, SELECTOR PINS, SHROUDS) 1 YEAR LABOR 1 YEAR</p>	EACH	1	<p>PRICE/EACH \$</p> <p>ITEM 12 TOTAL \$_____</p>

	BRAND: PROMAXIMA GROUP I			
13A	<p>8-WAY NECK MACHINE (#P-8000)</p> <p>CERTIFIED TO MEET OR EXCEED ASTM SAFETY STANDARDS SILVER/PLATINUM COLOR POWDER COATED EASY REACH RED, PULL KNOB ALLOWS THE SEAT TO ROTATE 365 DEGREES AND LOCK INTO 8 POSITIONS, EVERY 22 DEGREES SEAT IS HEIGHT ADJUSTABLE FOR DIFFERENT USER HEIGHTS DOES NOT REQUIRE BOLTING DOWN FIVE POUND ADD-ON WEIGHT SYSTEM SELF ADJUSTING HEAD PAD START RANGE LIMITATION WITH NUMERICAL INDEXING 1-7 OR ALPHABETICAL INDEXING A-G COUNTER BALANCED DRIVE ARM HIGH TENSILE STRENGTH ¼"STEEL COMPONENTS FOOT ACTIVATED SEAT ADJUSTMENT RUBBER BUMPERS INCLUDED FOR QUIET IMPACT 1 ½" SOLID STEEL HARDENED CHROME PLATED GUIDE RODS 2" X 4" 11 GUAGE STEEL WEIGHT STACK FRAME HOUSING. FORM FITTED OUTER WEIGHT STACK SHIELD. ABS SEAT & BACK PROTECTIVE DISHES. SEAMLESS UPHOLSTERY. CUSTOM MADE GRIPS AND ERGONOMICALLY FORMED HANDLES. CAM DRIVEN FOR SMOOTH MOVEMENT THROUGHOUT RANGE OF MOTION. RED AXIS OF ROTATION INDICATOR. BRIGHT RED COLORED PULL KNOBS. INSTRUCTIONAL COLOR PLACARD. 150 LB. WEIGHT STACK. 1/4" NYLON COATED AIRCRAFT CABLE DRIVEN. 4800 LB. TEST. ALL PIVOTING AXIS HAVE RADIAL BEARINGS. TRUE STRENGTH CURVE ON CAM. PRODUCT DIMENSIONS: 44" L X 44" W X 68" H PRODUCT WEIGHT: 386 LBS. WARRANTY: FRAMES AND WELDS (LIFETIME) WEIGHT STACK PLATES (LIFETIME) PILLOW BLOCK BEARINGS (10 YEARS) LINEAR BEARINGS, CAMS, GUIDE RODS, BUSHINGS & PULLEYS (5 YEARS) CABLES (2 YEARS) UPHOLSTERY (1 YEAR)</p>	EACH	1	PRICE/EACH \$
				ITEM 13A TOTAL \$_____

BRAND: SHUTTLE SYSTEMS GROUP I				
16	<p>SHUTTLE 2000-1 CLINICAL PLUS REHAB PLATFORM</p> <p>PADDED ADJUSTABLE KICKPLATE: OVER SIZED FOR A VARIETY OF ACTIVITIES AND PADDED FOR JOINT PROTECTION. CAPABLE OF HANDLING FORCES WELL OVER 500 POUNDS. THE SURFACE OF THE PADDED KICKPLATE IS REPLACEABLE FOR CONTINUED PROTECTION. VARIABLE ELASTIC RESISTANCE PNF PULLEY SYSTEM THREE-POSITION ADJUSTABLE BACKREST: LIFTS FROM HORIZONTAL TO 30 DEGREES TO FACILITATE ACCESS FOR ACUTE THERAPY PATIENTS, THE ELDERLY, OR OTHER PATIENTS WITH LIMITED MOBILITY RELIEVED DOWN THE CENTER TO ELIMINATE PRESSURE ALONG THE SPINE. DETACHABLE HEADREST PERMITS ADJUSTMENTS ALONG THE FULL LENGTH OF THE BACKREST TO ACCOMMODATE USERS OF VARIOUS HEIGHT. MULTI PURPOSE EXPANSION TOWERS FOOT SUPPORTS FOR PATIENTS WHO ARE UNABLE TO INDEPENDENTLY LIFT AND HOLD THEIR FEET AGAINST THE SURFACE OF THE KICKPLATE WOBBLE BOARD PROVIDES TWO ANGLES OF SLOPE ALLOWING DIFFERENT DEGREES OF FLEXION WOBBLE BOARD IS EASY TO ADJUST BOTH Laterally AND VERTICALLY AND EASY TO REMOVE ON AND OFF THE KICKPLATE. INCLUDES: KICKPLATE ASSEMBLY 25" STAND LATERAL HANDLES PROGRESS MONITOR STRIP ADJUSTABLE BACKREST LIGHT RESISTANCE ATTACHMENT ROM CONTROL EXPANSION TOWERS WITH PNF PULLEY SYSTEM SHUTTLE WOBBLE BOARD SPECS: WEIGHT: 200 LBS. WIDTH: 30" HEIGHT: 60" LENGTH: 104" RECOMMENDED FLOOR SPACE: 3' X 10' WARRANTY: 5 YEAR STRUCTURAL WARRANTY RESISTANCE: 12-200LBS. CARRIAGE CAPACITY: 350 LBS. WARRANTY: 5 YEARS: BOLTED METAL FRAMES, STANDS, TOWERS, PULLEY SYSTEMS, KICKPLATE FRAME AND BOARD, CARRIAGE FRAME, CARRIAGE HANDLES, AND WHEELS. 2 YEARS: UPHOLSTERY AND UPHOLSTERY HEADREST, KICKPLATE FACE, HARNESES, AND GRIPS. 1 YEAR: ELASTICORDS, REBOUND ELASTICS, LOCK KNOBS, TORQUE HANDLES, AND ALL OTHER PARTS.</p>	EACH	1	PRICE/EACH \$
				ITEM 16 TOTAL \$ _____

BRAND: TAG FITNESS GROUP I				
17	ACCESSORY RACK SIZE: 46"H X 31.5"W X 25"D WEIGHT: 107LBS THREE SHELVES 12 PEGS/HORNS WARRANTY: LIFETIME WELDS, ONE YEAR PARTS	EACH	1	PRICE/EACH \$ ITEM 17 TOTAL \$_____

ITEMS 9-17 REQUIRE UNIT PRICING IN EACH CATEGORY FOR NEW EQUIPMENT

GENERAL CONDITIONS

1. **Award:** The University of Alabama in Huntsville reserves the right to accept or to reject any or all bids and is not necessarily bound to accept the lowest bid if that bid is contrary to the best interest of the University. In making an award, intangible factors such as bidder's service, integrity, facilities, equipment, reputation, and past performance will be weighed along with the quality displayed in the samples submitted. Bids may be awarded either item by item, in products groups, or all or none, whichever appears to be in the best interest of the University. The University reserves the right to waive any or all formalities.
2. **Bid Withdrawal:** No bids may be withdrawn without approval from The University of Alabama in Huntsville Procurement Services. Any requests for withdrawal must be in writing to Procurement Services within five (5) days after opening date with justification for reason of withdrawal. More than two (2) such requests could result in removal from our bid list. No bid may be withdrawn after the issuance of purchase order. If a withdrawal is made after the purchase order is issued, the vendor will be considered in default. Refer to "Default of Contractor".
3. **Prices and Payment Terms:** Bidders should quote applicable cash discounts. The University will not take into consideration in bid evaluation any cash discount of less than thirty (30) days duration. However, we will take advantage of all discounts for which we are eligible. Identify these discounts in your bid response. Bids containing "payment in advance" or "COD" requirements may be rejected.
4. **Applicable Law:** It is agreed this quotation is valid to the extent that it does not violate the constitution or the laws of the State of Alabama.

Bidder represents and warrants that all article and services covered by this bid meet or exceed the safety standards established and promulgated under the Federal Occupational Safety and Health Act of 1970, No. 2006, and its regulations in effect or proposed as of the date of this bid.

The furnishing of materials, supplies, equipment or service to The University of Alabama in Huntsville under this purchase order, contract, solicitation for bids, or construction specification constitutes assurance by the vendor or contractor of his compliance with applicable provisions of and pertinent regulations promulgated under Executive Order 11246, date September 28, 1965 issued by the President of the United States of America, and Public Law 88-352, 88th Congress, the "Civil Rights Act of 1964".

5. **Non-Collusion:** Any agreement or collusion among bidders or prospective bidders in restraint of freedom of competition, by agreement to bid at a fixed price or to refrain from bidding, or otherwise, shall render the bids of such bidders void. Each bidder certifies that he has not been a party to such an agreement by signing this bid.
6. **New Products:** Unless specifically called for in the bid, all products for purchase must be new, never previously used, and the current model and/or packaging. No remanufactured, demonstrator, used, or irregular product will be considered for purchase unless otherwise specified in the bid. The manufacturer's standard warranty will apply unless otherwise specified in the bid. All requests should be supplied complete, ready to be installed, including all cabling and connectors where applicable.
7. **Bonds:** Bid and performance security bond, when required will be indicated.
8. **Bid Submission:** Failure to submit a bid on the official UAHuntsville form provided for that purpose shall be a cause for rejection of the bid. Return of the complete document is required. Modification of or additions to any portion of the solicitation may be cause for rejection of the bid; however, UAHuntsville reserves the right to decide, on a case by case basis, in its sole discretion, whether or not to reject such a bid as non-responsive.

All information shall be entered in ink or typewritten in the appropriate space on the form. Mistakes may be crossed out and corrections inserted before submission of your bid. Corrections shall be initialed in ink by the person signing the bid.

All bids must be signed. Failure to do so will result in rejection of bid.

9. **Delivery:** Time of delivery shall be stated as the number of calendar days following receipt of the order by the vendor, to receipt of the goods by The University of Alabama in Huntsville.

Delivery time may be a criterion in awarding bids. Specify earliest possible delivery after receipt of order.

Failure to deliver within the time vendor specified in the bid will constitute a default and may cause cancellation of the contract. Refer to "Default of Contractor".

All prices quoted are to be F.O.B. delivered to The University of Alabama in Huntsville, Central Receiving Building, 301 Sparkman Drive, Huntsville, Alabama, 35899 (unless another F.O.B. point is stated by the University on bid form). The successful bidder must assume all responsibility for damage in transit. When installation is required, it will be stated. If you are not quoting a delivered price, indicate your shipping point, and provide shipping cost for evaluation purposes.

10. **Bid Terms:** Show unit prices, extensions, and total price. In the event of a discrepancy between the unit price and the extension, the unit price shall govern. Bids shall remain firm for minimum thirty (30) days from date of bid opening and any exception must be clearly stated.
11. **Bid Opening:** Bidders may attend the bid opening, but no information or opinions concerning the ultimate award will be given at the bid opening or during the evaluation process. After the public opening of this bid, the results will not be available to bidders not attending the opening until after an award is made. Bid tabulations can be reviewed by accessing Procurement Services website at <http://uah.edu/business-services>. Click on "Vendors" then "Bid Awards".
12. **Bids are Public Record:** All bids become a matter of public record at bid award. The University accepts no responsibility for maintaining confidentiality of any information submitted with bid whether labeled confidential or not.
13. **Standards of Quality:** When a material, article or piece of equipment is identified in these specifications by reference to manufacturer's or vendor's name, trade name, catalog and stock numbers, etc., it is intended merely to establish a standard; and, any material, article or equipment of other manufacturer and vendor which will perform equally the duties imposed by the general design, provided the material, article, or equipment proposed, is in the opinion of the Purchasing Agent of equal substance and function. It shall not be purchased or installed by the contractor without the Purchasing Agents' written approval.

The bidder is responsible to clearly and specifically indicate the product being offered and to provide sufficient descriptive literature, catalog cuts and technical detail to enable UAHuntsville to determine if the product offered meets the requirements of the invitation. Normally in competitive sealed bidding only the information furnished with the bid will be considered in the evaluation. Failure to furnish adequate data for evaluation purposes may result in declaring a bid nonresponsive. Unless the bidder clearly indicates in its bid that the product offered is an "Equal" product, such bid will be considered to offer the brand name product referenced in the invitation. The University of Alabama in Huntsville will be sole judge of EQUAL items bid.

14. **Vendor Authorization:** Vendor must be an authorized distributor/agent to sell products proposed in this bid request. When it is deemed to be in the best interest of the University, Procurement Services may request an on-site premise visit to examine the facility.
15. **Default of Contractor:** Where the University has determined the contractor to be in default, the University reserves the right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
16. **Fiscal Funding Clause:** The continuation of this contract is contingent upon the appropriation of funds to fulfill the requirements of the contract by the legislature. If the legislature fails to appropriate sufficient monies to provide the continuation of a contract, the contract shall terminate on the date of the beginning of the first fiscal year for which funds are not appropriated.

17. **Contract Cancellation:** Procurement Services has the right to cancel any contract, in accordance with Purchasing Rules and Regulations, for cause, including, but not limited to, the following: (1) failure to deliver within the contract; (2) failure of the product or service to meet specifications, conform to sample quality, or to be delivered in good condition; (3) misrepresentation by the contractor; (4) fraud, collusion, conspiracy, or other unlawful means of obtaining any contract with the state; (5) conflict of contract provisions with constitutional or statutory provisions of state or federal law; and (6) any other breach of contract.
18. **Warranties:** Should merchandise described on this bid contain a manufacturer's warranty, bidders must state the warranty terms in the space provided on the bid. Bids offered for merchandise when no warranty applies must clearly state: "NO WARRANTY COVERAGE". Warranty information may be criteria in making this award. Failure of bidders to furnish this data may cause rejection of the complete bid as being non-responsive.
19. **Disclosure Statement:** The successful bidder will be required to file with Procurement Services a disclosure statement of relationship between contractors/grantees and employees/officials of the University. This form must be completed prior to issuance of the Purchase Order by The University of Alabama in Huntsville.
20. **State of Alabama Immigration Law:** Pursuant to the State of Alabama Immigration Law, by signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.
21. **Restrictions On Communications with University Staff:** From the issue date of this Solicitation until a Contractor is selected and a contract award is made, Bidders are not allowed to communicate about the subject of the bid with any University administrator faculty, staff, or members of the Board of Trustees except:
 - The Procurement Services representative, any University Procurement Official representing the University administration, or others authorized in writing by the Procurement Office and
 - University Representatives during Bidder presentations.

If violation of this provision occurs, the University reserves the right to reject the Bidder's response to this Solicitation.

NOTE: In order for an alternate bid to be considered, bidders must supply current catalogs or brochures, including pictorials and specifications.

F.O.B. Point	TERMS	WARRANTY
UAHUNTSVILLE DESTINATION ESTIMATED DELIVERY	YOUR REFERENCE NO.*	QUOTATION EFFECTIVE UNTIL
BUSINESS CLASSIFICATION (see note below):	EMAIL ADDRESS:	

* Your company reference number, if applicable with this bid quotation.

NOTE: Please indicate your company classification in the appropriate box above: Small Business (**SB**), a Small Disadvantaged Business (**SD**), a Black Small Disadvantaged Business (**BD**), a Woman-Owned Small Business (**WB**), a Woman-Owned Small Disadvantaged Business (**WD**), a Black Woman-Owned Small Disadvantaged Business (**BW**), a Large Business (**LB**), an Individual (**IN**), Educational (**ED**), Non-Profit (**NP**), a Labor Surplus Area Concern (**LS**), Disabled Veteran-Owned Small Business (**DV**), Veteran-Owned Small Business (**VS**), Historically Underutilized Business Zone (**UZ**), or a Governmental Agency (**GV**).

Certification Pursuant To Act No. 2006-557

Alabama Law (Section 41-4-116, Code of Alabama 1975) provides that every bid submitted and contract executed shall contain a certification that the vendor, contractor, and all of its affiliates that make sales for delivery into Alabama or leases for use in Alabama are registered, collecting, and remitting Alabama state and local sales, use, and/or lease tax on all taxable sales and leases into Alabama. By submitting this bid, the bidder is hereby certifying that they are in full compliance with Act No. 2006-557, they are not barred from bidding or entering into a contract pursuant to 41-4-116, and acknowledges that the awarding authority may declare the contract void if the certification is false.

COMPANY NAME (TYPE OR PRINT)

TELEPHONE NUMBER

SIGNER'S NAME (TYPE OR PRINT)

FAX NUMBER

SIGNATURE

DATE

The University of Alabama in Huntsville prohibits the installation of asbestos on its campus. Suppliers and contractors will not supply any equipment, material, or supplies, which contain asbestos without prior written approval.

Failure to designate Bid Number and Opening Date on the outside of your sealed envelope containing your bid and more than one bid submitted in this envelope will result in a "No Bid" response in accordance with Alabama Competitive Bid Law 41-16-24 sub-part b.

The University of Alabama in Huntsville will not accept faxed bids.

Any product that fails to meet the specifications, performance requirements or compatibility requirements will be rejected and returned to the vendor at no cost to the University.

State of Alabama Immigration Law

If the successful bidder is located in Alabama or employs an individual or individuals within the State of Alabama, the successful bidder shall provide a copy of its Employment Eligibility Verification (E-Verify) company profile. To expedite the ordering process, this document may be submitted with the bid response.

If the successful bidder is not located in the State of Alabama and does not employ an individual or individuals within the State of Alabama, the successful bidder shall complete and return the Certification of Compliance form included with this Request for Price Quotation (E-Verify company profile is not required). To expedite the ordering process, this document may be submitted with the bid response.

If you are not currently enrolled in E-Verify, follow these instructions:

- Log onto www.uscis.gov/everify
- Click “Getting Started” for information about the program, requirements, and enrollment process.
- Click “Enroll in E-Verify” and begin enrollment process.
- When enrollment process is complete, click “Edit Company Profile” and print this one-page document.
- This one-page document must be submitted prior to a contract or purchase order being issued.
- For further assistance please consult the [E-Verify Quick Reference Guide](#).

If you have previously enrolled in E-Verify, follow these instructions:

- Log onto www.uscis.gov/everify
- Click “Edit Company Profile” and print this one-page document.
- This one-page document must be submitted prior to a contract or purchase order being issued.



CERTIFICATION OF COMPLIANCE WITH THE STATE OF ALABAMA IMMIGRATION LAW

The undersigned officer of _____ (Company)
certifies to the Board of Trustees of the University of Alabama that the Company is not located in
Alabama and that the Company does not employ an individual or individuals within the State of
Alabama.

SIGNATURE OF COMPANY OFFICER

PRINT COMPANY NAME

PRINT NAME OF COMPANY OFFICER

PRINT TITLE OF COMPANY OFFICER

DATE

**DISCLOSURE STATEMENT OF
RELATIONSHIP BETWEEN CONTRACTORS/GRANTEES AND
EMPLOYEES/OFFICIALS OF UA/UAB/UAHuntsville/UAS
(THE "UNIVERSITY OF ALABAMA SYSTEM")**

1. Bid No. **B002244**

2. Name of Contractor/Grantee _____
Address _____

Phone _____

3. Nature of contract/grant
_____ **FITNESS EQUIPMENT** _____

4. Does the contractor/grantee have any relationship with an employee or official of the University, or a family member of such employee or official, that will enable such employee or official, or his/her family member, to benefit from this contract/grant? If so, please state the names, relationships, and nature of the benefit.

(For employees of the University, family members include spouse and dependants. For members of the Board of Trustees (officials), family members include spouse, dependants, adult children or their spouses, parents, in-laws, siblings, and their spouses.)

Certification Pursuant To Act No. 2006-557

Alabama Law (Section 41-4-116, Code of Alabama 1975) provides that every bid submitted and contract executed shall contain a certification that the vendor, contractor, and all of its affiliates that make sales for delivery into Alabama or leases for use in Alabama are registered, collecting, and remitting Alabama state and local sales, use, and/or lease tax on all taxable sales and leases into Alabama. By submitting this bid, the bidder is hereby certifying that they are in full compliance with Act No. 2006-557, they are not barred from bidding or entering into a contract pursuant to 41-4-116, and acknowledges that the awarding authority may declare the contract void if the certification is false.

This disclosure form will be available for public inspection upon request.

The above information is true and accurate, to the best of my knowledge.

Signature of Authorized Agent

Date

This form must be completed and returned before any contract(s) will be issued by the University.