

ATTACHMENT 1

FEDERAL DRUG OFFENSES AND PENALTIES

Possession of Controlled Substances: Federal drug possession penalties generally consider only the drug violation history of the offender. With one exception (when the possession is for personal use for which a civil penalty up to \$10,000 may be imposed if first offense), federal penalties for a person convicted of possession of any type or amount of a controlled substance can be:

- up to one year in prison and a minimum fine of \$1,000 for a first offense;
- a minimum of 15 days and a maximum of two years in prison and a minimum fine of \$2,500 for a second drug offense; and
- a minimum of three months and a maximum of three years in prison and a minimum fine of \$5,000 for a third drug offense.

Additional information may be found at <https://www.campusdrugprevention.gov/content/drug-scheduling-and-penalties>.

Federal Drug Trafficking: Federal drug trafficking penalties consider the type and amount of the drug involved, the offender's drug violation history, and other factors. The US Drug Enforcement Administration (DEA) maintains a list of penalties for federal trafficking offenses, a copy of which may be found at the link below and is also incorporated at the end of this policy as ATTACHMENT 2. Generally, for each drug, there is a threshold amount that brings the offender under the mandatory minimum sentencing structure. When death or serious bodily injury results from use of the drugs, first time offenders are subject to a sentence of 20 years to life. A first offense of distributing to persons under age 21 may be punishable by twice the maximum sentence, and three times for second offenses (21 U.S.C. §859). If the trafficking is on premises in which a person under age 18 is present or resides, an additional penalty up to 20 years imprisonment may be imposed (21 U.S.C. § 860a). Persons convicted of trafficking within 1,000 feet of a school or college face penalties twice the maximum penalties, with a mandatory one-year prison sentence for first offenses, and three times as high for second offenses (21 U.S.C. § 860).

Additional information may be found at https://www.campusdrugprevention.gov/sites/default/files/2022-07/Federal_Trafficking_Penalties_Chart_6-23-22.pdf.

Drug Paraphernalia: Any person who sells, offers to sell, transports, exports or imports drug paraphernalia is subject to up to three years imprisonment (21 U.S.C. § 863).

Other Penalties: A federal drug possession conviction may result in the loss of federal benefits, including school loans, grants, scholarships, and contracts, and professional and commercial licenses provided by a federal agency for up to one year for a first offense, up to five years for a second conviction, and permanent ineligibility after a third conviction (21 U.S.C. § 862(b)). Federal drug trafficking convictions may result in denial of federal benefits for up to five years for a first conviction, up to ten years for subsequent convictions, and permanent ineligibility after a third conviction (21 U.S.C. § 862(a)).

A. STATE OF ALABAMA DRUG OFFENSES AND PENALTIES

A list of Alabama statutes regarding controlled substances, marijuana and drug paraphernalia is incorporated at the end of this policy and enclosed as ATTACHMENT 4. Crimes involving controlled substances range from Class A to Class D felonies, punishable by substantial prison terms and/or fines, with enhanced penalties if controlled substances are sold to persons under 18 years of age or within a three-mile radius of campus boundaries of a college or school. Possession of marijuana for personal use is a Class A misdemeanor for the first offense, but elevated to a Class D felony for a second offense. Possessing drug paraphernalia with intent to use is a Class A misdemeanor, but elevated to a more serious Class B felony if sold to a person that is three years younger and under 18 years of age. The Department of Public Safety may suspend a driver's license for six months for persons convicted of a drug offense.

B. STATE ALCOHOLIC BEVERAGE LAWS AND PENALTIES

Various Alabama statutes address alcohol-related laws and penalties. Most offenses expose an individual to up to one year in jail and a fine. Penalties for DUI increase with the number of offenses, with the fourth DUI exposing a person to a Class C felony charge, with imprisonment from 1-10 years and fine up to \$15,000. Significantly, the fourth DUI results in mandatory revocation of the person's driver's license for five years. Adults who authorize a party at a residence they control and allow the party to continue with persons under age 21 illegally possessing or consuming alcohol without taking reasonable action to prevent it expose themselves to a \$3,000 fine and up to six months in jail. Finally, in addition to criminal penalties, civil monetary damages are available through the Alabama Civil Damages Act and/or Alabama Dram Shop Act if injuries are caused by a minor who has consumed alcohol.

ATTACHMENT 2

FEDERAL TRAFFICKING PENALTIES FOR SCHEDULES I, II, III, IV, and V (EXCEPT MARIJUANA)				
Schedule	Substance/Quantity	Penalty	Substance/Quantity	Penalty
II	Cocaine 500-4999 grams mixture	First Offense: Not less than 5 yrs. and not more than 40 yrs. If death or serious bodily injury, not less than 20 yrs. or more than life. Fine of not more than \$5 million if an individual, \$25 million if not an individual. Second Offense: Not less than 10 yrs. and not more than life. If death or serious bodily injury, life imprisonment. Fine of not more than \$8 million if an individual, \$50 million if not an individual.	Cocaine 5 kilograms or more mixture	First Offense: Not less than 10 yrs. and not more than life. If death or serious bodily injury, not less than 20 yrs. or more than life. Fine of not more than \$10 million if an individual, \$50 million if not an individual. Second Offense: Not less than 20 yrs., and not more than life. If death or serious bodily injury, life imprisonment. Fine of not more than \$20 million if an individual, \$75 million if not an individual. 2 or More Prior Offenses: Life imprisonment. Fine of not more than \$20 million if an individual, \$75 million if not an individual.
II	Cocaine Base 28-279 grams mixture		Cocaine Base 280 grams or more mixture	
IV	Fentanyl 40-399 grams mixture		Fentanyl 400 grams or more mixture	
I	Fentanyl Analogue 10-99 grams mixture		Fentanyl Analogue 100 grams or more mixture	
I	Heroin 100-999 grams mixture		Heroin 1 kilogram or more mixture	
I	LSD 1-9 grams mixture		LSD 10 grams or more mixture	
II	Methamphetamine 5-49 grams pure or 50-499 grams mixture		Methamphetamine 50 grams or more pure or 500 grams or more mixture	
II	PCP 10-99 grams pure or 100-999 grams mixture	PCP 100 grams or more pure or 1 kilogram or more mixture		
Substance/Quantity		Penalty		
Any amount of other Schedule I & II substances		First Offense: Not more than 20 yrs. If death or serious bodily injury, not less than 20 yrs. or more than Life. Fine \$1 million if an individual, \$5 million if not an individual. Second Offense: Not more than 30 yrs. If death or serious bodily injury, life imprisonment. Fine \$2 million if an individual, \$10 million if not an individual.		
Any drug product containing Gamma Hydroxybutyric Acid				
Flunitrazepam (Schedule IV) 1 Gram				

Any amount of other Schedule III drugs	<p>First Offense: Not more than 10 yrs. If death or serious bodily injury, not more than 15 yrs. Fine not more than \$500,000 if an individual, \$2.5 million if not an individual.</p> <p>Second Offense: Not more than 20 yrs. If death or serious injury, not more than 30 yrs. Fine not more than \$1 million if an individual, \$5 million if not an individual.</p>
--	---

Substance/Quantity	Penalty
Any amount of all other Schedule IV drugs (other than one gram or more of Flunitrazepam)	<p>First Offense: Not more than 5 yrs. Fine not more than \$250,000 if an individual, \$1 million if not an individual.</p> <p>Second Offense: Not more than 10 yrs. Fine not more than \$500,000 if an individual, \$2 million if other than an individual.</p>
Any Amount of all Schedule V drugs	<p>First Offense: Not more than 1 yr. Fine not more than \$100,000 if an individual, \$250,000 if not an individual.</p> <p>Second Offense: Not more than 4 yrs. Fine not more than \$200,000 if an individual, \$500,000 if not an individual.</p>

ATTACHMENT 3

FEDERAL TRAFFICKING PENALTIES FOR MARIJUANA, HASHISH AND HASHISH OIL, SCHEDULE I SUBSTANCES	
<p>Marijuana</p> <p>1,000 kilograms or more marijuana mixture or 1,000 or more marijuana plants</p>	<p>First Offense: Not less than 10 yrs. or more than life. If death or serious bodily injury, not less than 20 yrs., or more than life. Fine not more than \$10 million if an individual, \$50 million if other than an individual.</p> <p>Second Offense: Not less than 20 yrs. or more than life. If death or serious bodily injury, life imprisonment. Fine not more than \$20 million if an individual, \$75 million if other than an individual.</p>
<p>Marijuana</p> <p>100 to 999 kilograms marijuana mixture or 100 to 999 marijuana plants</p>	<p>First Offense: Not less than 5 yrs. or more than 40 yrs. If death or serious bodily injury, not less than 20 yrs. or more than life. Fine not more than \$5 million if an individual, \$25 million if other than an individual.</p> <p>Second Offense: Not less than 10 yrs. or more than life. If death or serious bodily injury, life imprisonment. Fine not more than \$20 million if an individual, \$75million if other than an individual.</p>
<p>Marijuana</p> <p>50 to 99 kilograms marijuana mixture,</p> <p>50 to 99 marijuana plants</p>	<p>First Offense: Not more than 20 yrs. If death or serious bodily injury, not less than 20 yrs. or more than life. Fine \$1 million if an individual, \$5 million if other than an individual.</p> <p>Second Offense: Not more than 30 yrs. If death or serious bodily injury, life imprisonment. Fine \$2 million if an individual, \$10 million if other than an individual.</p>
<p>Hashish</p> <p>More than 10 kilograms</p>	
<p>Hashish Oil</p> <p>More than 1 kilogram</p>	
<p>Marijuana</p> <p>less than 50 kilograms marijuana (but does not include 50 or more marijuana plants regardless of weight)</p> <p>1 to 49 marijuana plants</p>	<p>First Offense: Not more than 5 yrs. Fine not more than \$250,000, \$1 million if other than an individual.</p> <p>Second Offense: Not more than 10 yrs. Fine \$500,000 if an individual, \$2 million if other than individual.</p>

Hashish	
10 kilograms or less	
Hashish Oil	
1 kilogram or less	

ATTACHMENT 4

STATE OF ALABAMA CONTROLLED SUBSTANCES/MARIJUANA VIOLATIONS AND PENALTIES		
VIOLATION	PENALTIES*	AL CODE §
CONTROLLED SUBSTANCES		
<i>Trafficking:</i> Knowingly sells, manufactures, delivers or brings into state cannabis (in any of its forms), cocaine, heroin, morphine, opium, methaqualone, hydromorphone, methylenedioxyphebol, amphetamine, phencyclidine, lysergic acid diethylamide, methamphetamine, or LSD	<i>Class A Felony.</i> Imprisonment & fines dependent on amounts. Prison: Ranges from 3 years to mandatory life in prison without parole. Fine: Ranges from \$25,000 - \$250,000.	13A-12-231
<i>Sale</i> of controlled substance by person over 18 to person under 18	<i>Class A Felony.</i> Not eligible for suspended sentence or probation. Prison: 10-99 years or life. Fine: Not more than \$60,000.	13A-12-215
<i>Sale</i> of controlled substance that is on the campus or within a 3mile radius of campus boundaries of any public or private school, college, university or other educational institution or of public housing	<i>Class A Felony.</i> Prison: Add five years to penalty.	13A-12-250 13A-12-270
Engages in a criminal enterprise, in connection with 5 or more persons, to <i>traffic</i> in illegal drugs	<i>Class A Felony.</i> Prison: 25 years to life w/o eligibility for parole. Fine: \$50,000 - \$500,000. 2 nd offense is subject to mandatory life sentence. Fine: \$150,000 - \$1,000,000.	13A-12-233

<i>Manufacturing</i> controlled substance if 2 or more of following conditions are present: possession of firearm, use of booby trap, use of clandestine lab within 500 feet of a residence or school, the presence of someone under 17 years of age during the manufacturing process	<i>Class A Felony.</i> Prison: 10-99 years or life. Fine: Not more than \$60,000.	13A-12-218
<i>Manufacture</i> of a controlled substance	<i>Class B Felony.</i> Prison: 2-20 years. Fine: Not more than \$30,000.	13A-12-217
<i>Distribution</i> of controlled substances (furnished, sold, given away, manufactured, delivered or distributed)	<i>Class B Felony.</i> Prison: 2-20 years. Fine: Not more than \$30,000.	13A-12-211
<i>Possession</i> or receipt of controlled substances	<i>Class D Felony.</i> Prison: 1 year, 1 day -5 years. Fine: Not more than \$7,500.	13A-12-212
Person convicted of attempt, criminal solicitation & criminal conspiracy to commit controlled substance crime	Punishable the same as the controlled substance crime committed.	13A-12-202, 203, 204
MARIJUANA & DRUG PARAPHERNALIA		
Possession of marijuana in first degree (other than personal use)	<i>Class C Felony.</i> Prison: 1 year, 1 day-10 years. Fine: Not more than \$15,000.	13A-12-213
Possession of marijuana in second degree (for personal use only)	<i>Class A Misdemeanor.</i> Jail: Not more than 1 year. Fine: Not more than \$6,000.	13A-12-214
Use, possession, delivery, or sale of drug paraphernalia	<i>Class B Felony for sale to one under 18</i> by one at least three years older. Prison: 2-20 years. Fine: Not more than \$30,000. <i>Class C Felony for sale.</i> Prison: 1 year, 1 day-10 years. Fine: Not more than \$15,000. <i>Class A Misdemeanor for possession with intent to use.</i> Jail: Not more than 1 year. Fine: Not more than \$6000.	13A-12-260
* Imprisonment sentences: §13A-5-6 for felonies & §13A-5-7 for misdemeanors. Fines for felonies: §13A-5-11 for felonies & §13A-5-12 for misdemeanors. Driver's license suspended for 6 months for any drug offense conviction (§13A-12-290).		

ATTACHMENT 5

HEALTH RISKS ASSOCIATED WITH USE OF CONTROLLED SUBSTANCES AND ABUSE OF ALCOHOL

Substance abuse and drug dependency are problems of staggering proportions in our society today. They are the leading causes of preventable illness, disability, and death in the U.S. and afflict millions of Americans. This number increases dramatically when one considers the harm done to the families of substance abusers as well as to those injured or killed by intoxicated drivers or in drug-related work accidents. Alcoholism can develop in anyone. It tends to appear first between the ages of 20 and 40 and also to be more prevalent in persons with a family history of alcoholism.

ALCOHOL

Alcoholism is a disorder that has profound psychological, biological, and societal effects. Directly, it affects over 18 million people; indirectly, it affects another 56 million. It is usually characterized by one of three different patterns:

1. Regular daily intoxication;
2. Drinking large amounts of alcohol at specific times; or
3. Periods of sobriety interspersed with periods of heavy daily drinking.

Alcoholism is usually progressive, and physical dependence can develop; if this happens, serious, sometimes life-threatening symptoms can develop when alcohol is withdrawn. Short term effects of alcohol use can include depression, gastritis, liver disease, automobile accidents, and domestic violence. Chronic alcohol abuse can produce irreversible health changes, including dementia, sexual impotence, cirrhosis of the liver, and heart disease. Death can occur either as a complication of one of these chronic problems, or acutely, secondary to alcohol intoxication by poisoning or to aspiration of vomitus, or as the result of any automobile accident while driving intoxicated.

MARIJUANA (CANNABIS)

Though physiological consequences do depend on frequency, duration, and quantity of use, marijuana use has been linked to impairment of short term memory, concentration, judgment, perception, and fine motor skills. Therefore, the use of this drug increases the risk of machinery or motor vehicle accident and injury for four to six hours after ingestion. Impairment of memory may last for three to six months, even if use of the drug

is discontinued completely. The active chemical in marijuana (THC) remains stored in body fat cells long after ingestion. Marijuana use is associated with chronic anxiety, depression, and paranoid feelings. It can exacerbate or increase significantly underlying emotional problems. Frequent and/or ongoing use by children and adolescents may have long term developmental consequences resulting in lack of motivation, apathy, and difficulty managing current stresses and responsibilities, as well as making appropriate plans for the future. Pregnant women who use marijuana may be at a higher risk for giving birth to children with developmental or birth defects.

HALLUCINOGENS

This category includes drugs such as lysergic acid diethylamino (LSD, also known as "acid"), mescaline, psilocybin (also known as mushrooms) and peyote. These drugs cause delusions, hallucinations, and impaired perception of time and space. Phencyclidine (PCP, or "angel dust") and amphetamine variants known as "ecstasy" are included in this category, though they rarely cause hallucinations in the true sense. They are, however, potent drugs that have mind-altering effects and impair perception and cognition. Hallucinogens can produce a "bad trip" with anxiety, agitation, hallucinations, and paranoia leading to impulsive behavior. After a "bad trip" the person can be subject to "flashbacks," which are recurrences of the experiences of the "bad trip" without taking any more of the drug. Psychosis and impaired thinking may result after long-term use.

COCAINE

The use of cocaine, an illegal stimulant drug, has risen dramatically in the United States. Other names for this drug are code, C., lady, and snow. Cocaine is a white powder that is snorted, injected into veins, or smoked freebase or as "crack." Crack is a crystalline form of cocaine that is also known as "rock", from its small, white rock-like appearance. "Speed balls" are cocaine mixed with heroin, which is a particularly dangerous combination. Crack produces the most intense cocaine high; addiction can occur after using it only once or twice. Cocaine highs are characterized by feelings of extreme happiness and a sense of limitless power and energy. However, the physical effects include high blood pressure and heart palpitations. A cocaine "crash" follows the high and includes symptoms of depression, dullness, great irritability, and paranoia. Serious medical complications occur with cocaine use, such as heart attacks (even in young people), seizures, and strokes due to high blood pressure. The psychological effects of cocaine use include violence, paranoia, and personality changes as well as symptoms such as depression, anxiety, and confusion. Pregnant women using cocaine have increased risk of miscarriages and still-births. Newborns addicted to cocaine are irritable, unresponsive, they are prone to have malformed kidneys and genitals, and to have heart attacks and strokes. Addiction to cocaine controls aspects of the user's life, impinges on the lives of those closest to the user, and occurs in people of all ages, classes, and educational levels.

AMPHETAMINES, METHAMPHETAMINE AND OTHER STIMULANTS

In addition to cocaine, a number of other drugs stimulate the nervous system and are very addictive. Most of them belong to the amphetamine family of drugs. Dexedrine (present in "diet" pills) may at times be prescribed by a physician, but its use as a legitimate medication is now infrequent. Street drugs of the amphetamine group include "ecstasy" and "ice." Ice is a smokable amphetamine compound that is very potent, and the effects are long-lasting and devastating. The health risks of these and other stimulants are similar to those of cocaine use.

NARCOTICS, INCLUDING HEROIN

Various medications are taken to relieve pain. Most non-prescription pain relievers (such as aspirin, Tylenol, Motrin, and Nuprin) are not considered addictive. However, there is a class of stronger pain relievers, available by prescription only, which are referred to as narcotics and most of which are opiates. Examples of these drugs include morphine, codeine, Tylenol No. 3, Darvon, Darvocet, Percocet, Percodan, Demerol, and certain prescription cough medicines. These drugs differ from non-prescription pain relievers in their potential for abuse and dependence. With close medical supervision, these drugs may be safely used in specific medical circumstances for a limited time. However, addiction may occur and the person may not want to stop the drug even when the pain has stopped. Tolerance to the drug is shown by an increase in the amount of drug

necessary to relieve pain. This becomes progressive and leads to the craving or need for larger and larger doses, without which the person becomes extremely uncomfortable and physically ill. The time may come when the person "needs" such a large dose of the drug that it is poisonous or lethal. Under these circumstances, coma, suffocation, and death may ensue. The malignant course of this problem is similar to that of addiction to heroin. Although heroin is not available by prescription, it is a narcotic which belongs to the same chemical family as the above drugs. The use of heroin is mainly by injection into a vein, which carries the additional medical dangers of contracting AIDS and hepatitis from unclean needles and syringes.

SEDATIVES AND TRANQUILIZERS

Barbiturates and benzodiazepines are two of the most commonly used classes of sedatives. Barbiturates (such Phenobarbital, Seconal, and Amytal) are highly addictive and can be fatal if taken in excess. Although they still have medical uses, they have largely been replaced by benzodiazepines, used for relief of anxiety and to promote sleep. Benzodiazepines include such drugs as Valium, Librium, Ativan, Xanax, Dalmane, Halcion, and Restoril. While safe and effective at moderate doses for short periods of time (weeks), all benzodiazepines have a potential for physical and psychological dependence if used at higher doses for longer periods of time. Frequently, benzodiazepines are abused by adults who become dependent on them because of their anti-anxiety effects. Other tranquilizers which may be abused include methaqualone (Quaaludes), Doriden, and Equanil. Intoxication may result from benzodiazepine use and resembles alcoholic drunkenness. Drowsiness, slurred speech, unsteady gait, and lack of coordination are common signs. The effects of benzodiazepines (barbiturates and other sedatives) add to those of alcohol; taken together, they can lead to coma and even death. Withdrawal from benzodiazepines resembles alcohol withdrawal and is most apparent if the drugs are stopped abruptly. Withdrawal takes place within hours to days of stopping the drug. Once a person is addicted to benzodiazepines, a physician should supervise the plan for gradually stopping them, to minimize serious effects of withdrawal.

IMPACT OF SUBSTANCE ABUSE ON FAMILIES

Families are often gravely affected by a substance-abusing member. This can occur on many levels. As a very direct, physiological consequence, the infants of alcohol and cocaine-abusing mothers often have low birth weight and may suffer from malformations and a variety of developmental problems. In addition, abusers often affect the economic well-being of their families as their inability to hold down a job or, in some instances, their stealing from relatives, reduces the family's financial means and stability. In many cases substance abuse leads to violence at home. Substance abuse takes an emotional toll on the functioning of individual members and the family as a whole. Family members may actively deny the problem, may become symptomatic in an effort to deflect attention from the substance-abusing member, or may assume the abuser's responsibilities at home and even at work. On the other hand, very often the family's intervention with the user is an essential step in getting the abusing member to seek treatment. Support groups or family members, such as Al-Anon, Nar-Anon or COC-Anon, as well as family therapy can provide needed assistance to families as they confront the destructive effects of the user's addiction.

RECOGNIZING SIGNS AND SYMPTOMS OF ALCOHOL AND SUBSTANCE ABUSE

Everyone occasionally has days when they exhibit behavior not normally associated with an educational or work environment nor characteristic of himself or herself. Unusual behavior during times of stress can be understood and accepted. However, when unusual behavior is displayed on a gradually increasing scale accompanied by general decline in work habits over a period of time, it indicates that an individual needs professional help. Below are some of the more common signs or symptoms of unusual behavior.

ABSENTEEISM AND TARDINESS

- Arriving late and leaving early
- Absences before and after payday or holidays
- Sporadic but significant use of sick time

- Taking frequent breaks
- Unexplained absences
- Friday and Monday absences
- Absences due to accidents both on and off the work site

IMPAIRED JOB PERFORMANCE

- Increasing operating errors
- Lost time on the job
- "Putting things off"
- Irresponsibility in completing tasks
- Faulty decision making
- Increased accident rates
- Wasted materials or damaged equipment
- High performance that slowly declines over time
- Job performance that becomes focused on a specialized, repetitious activity (rather than the entire array of job duties)
- Irregular or non-existent office hours
- Sudden, extreme gaps in performance (missing a grant deadline, unexpected missing of final exams)

UNUSUAL INTERPERSONAL INTERACTIONS

- Sudden emotional outburst including anger, tears, laughter
- Mood swings, especially early or late in the work day
- Overreactions to criticism
- Blaming others for poor performance
- Making inappropriate statements
- Rambling or incoherent speech
- Isolation from co-workers or increasing social withdrawal
- Disinterest in teamwork

DECLINING PHYSICAL APPEARANCE (SUDDEN OR GRADUAL)

- Poor personal hygiene (e.g. body odor or dirty hair, nails, and skin)
- Less interest in dress and appearance (or a noticeable decline from previous meticulousness)
- Glazed or red eyes
- Slurred speech
- Poor coordination, staggering
- Tremors, poor eye-hand coordination
- Frequent gastrointestinal distress
- Deterioration of oral hygiene

OTHER SIGNS

- Legal problems, such as arrest for driving under the influence (DUI)

- Domestic situation, including children's drug use (children of alcoholics sometimes have drug abuse problems)
- Financial concerns, such as high debt load, bad loans, wages garnished, unusual spending patterns